

कालीगण्डकी गाउापालिका गाउा कार्यपालिकाको कार्यालय

विर्घा, स्याङ्गजा गण्डकी प्रदेश, नेपाल

क्याटलग सपिङ्ग विधिबाट एम्बुलेन्स खरिद सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति:२०७६/०७/१८ गते)

कालीगण्डकी गाउँपालिकाको पाँचौ गाउँसभाबाट निर्णय भए अनुसार एक थान एम्बुलेन्स सार्वजनिक खरिद ऐन,२०६३ को दफा ८ को उपदफा ८ बमोजिम उत्पादक वा विऋेताद्धारा निर्धारित दरमा (क्याटलग सिपङ्ग) खरिद गर्ने विधि बाट खरिद गर्नुपर्ने भएकोले देहायका कागजातहरु संलग्न राखी कानूनी प्रक्रिया पूरा गरेका ईच्छुक फर्म/कम्पनीहरुले यो सूचना प्रकाशित भएको मितिले १५ औ दिनको कार्यालय समय भित्र (सो दिन विदा परेमा सोको भोलिपल्ट) देहायका कागजातसहित सिलबन्दी निवेदन पेश गर्नुहुन अनुरोध छ। म्याद नाघी दर्ता हुन आएको निवेदन उपर कुनै कारबाही नगरिने व्यहोरा जानकारीका लागि अनुरोध छ। साथै यस कार्यालयबाट तयार भएको प्राविधिक स्पेशिफिकेशन कार्यालयको खरिद एकाइमा सम्पर्क राखी लिन सिकने वा यस कार्यालयको वेबसाइट www.

kaligandakimunsyangja.gov.np मा हेर्न सिकने व्यहोरा समेत अनुरोध छ।

पेश गर्नुपर्ने कागजातको विवरण

- ?) कम्पनी / फर्म दर्ता र नवीकरणको प्रकाणपत्रको प्रतिलिपि,
- २) मु.अ.कर दर्ताको प्रमाणपत्रको प्रतिलिपि,
- ३) कर चुक्ताको प्रमाणपत्रको प्रतिलिपि,
- ४) उत्पादक कम्पनीबाट तयार भएको आधिकारिक स्पेशिफिकेशन,
- ५) गुणस्तर, मूल्य र सुविधासहितको विवरण (क्याटलग वा ब्रोसर)।

प्रमुख प्रशासकीय अधिकृत

Technical Specifications Of Ambulance Jeep 4WD

(2500-2600)CC

S.No.	Criteria	Required Specification	Offered Specification
1.	General	Hard Top Jeep, 4WD, Right Hand Drive model	Make:
		suitable for driving in Nepal. Seating capacity for at	
		least driver, passenger and patient.	Model:
2.	Engine	(2500-2600)CC Diesel Engine, developing maximum	Make:
	Ü	rated power output not less than 60 bhp & maximum	
	(4)	torque not less than 180 Nm at governed rpm Engine	Model:
		fully equipped with accessories for efficient full load	
		operation of the vehicle at operating conditions.	
3.	Dimension	Wheelbase: Not more than 2800mm	
		Overall Length: (4400-4500)mm	
		Overall Widht: 1700 mm	
_		Gross vehicle weight: Not less than 2550 kgs	
4.	Emission	The Emission standard of the vehicle should comply	
838	Standard	with the latest "Vehicle Mass Emission Standard" of	
		Nepal which is to be certified by Department of	
		Transport Management Nepal.	
5.	Gauges	To include water temperature, fuel, oil pressure,	
		transmission gauge etc. as necessary for efficient	
		operation and maintenance.	
6.	Clutch	Single Dry Plate	
7.	Transmission	Manual shift at 5 forward and one reverse, floor	
		mounted engaged through control at driver seat.	
8.	Ground	Minimum 180 mm	
H222	Clearance		
9.	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock	
	Historia (1800 -1 000-1000) (1800-1000) (1800-1000)	absorbers at front and rear.	
11.	Tyres	Standard Size	
12.	Steering	Power Steering	
13.	Brakes	Front Ventilated Disc type, rear disc/ drum type,	
		hydraulic operated on all wheels, and parking brake	
		dual circuit preferred.	
14.	Cab	2 side doors and 1 back door, all metallic cab with	
		insulated roof, laminated glass windscreen, front	
		washer and wipers, glass windows on doors, through	
		ventilation, comfortable and adjustable seats for	
	10	driver and co-passenger. Sun visor, rear view mirror	
		and two side view mirror.	
15.	Chassis &	Heavy duty metal frame	
	Frame		



1.6	Eti-1	A. Head light, tail and rear light, reversing	
16.	Essential		
	Accessories	light and turn signals.	
		B. Cabin Lights	
		C. Speedometer/ Odometer.	
		D. One Spare wheel with tyre and tube.	
		E. Suitable jack and handle.	
		F. Seat belt for driver and co-driver.	
		G. Stretcher Curn Bed	
		H. Siren	
		I. Flashing Light on top (As per Nepal Standard)	
		J. Oxygen Cylinder holder, Flow Meter and	
		Mask	
		K. Saline Bottle holder	
		L. Stainless steel wash basin	
	(4)	M. First Aid Equipment	
		N. IV Injection	
	,	O. Stethoscope, B.p. Apparatus, Torchlight	
	20	P. Driver with basic training in first aid and	
		emergency medicine	
	v =	Q. Anti- Skid floor Equipped with all	
		accessories offered in the standard model	
		but not limited to the above items.	
17.	Instructions	All signs and instructions in the vehicle shall be in English.	*
18.	Manuals	One Copy of the Operator's and Owner's instructions	
		and maintenance manual in English shall be supplied	
		with the vehicle.	
16.	Tools	A set of tools as required for general maintenance	
		shall be supplied.	
20.	Colour	White	
21.	Proven	The vehicle offered shall be under standard	
	Performance	production by the manufacturer for at least five years.	
	Warranty	Manufacturer shall provide a minimum of One year	
22.	waitanty	[Tanta and a large T	
22.	warranty	after acceptance.	
22.	Delivery		-

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Chirau Kaji Batas Mechanical Engineer HED, Pokhara

Mechanical Engin