कालिगण्डकी गाउँपालिका

आ. ब २०७९/८०

को गाउँपालिका दर रेट

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८०को गाउँपालिका दर रेट

आज मिति २०७३/०४/१२ गतेका दिन कालीगण्डकी गाउपालिका विर्क, स्याङ्जाका अध्यक्ष श्री रिखम बहादुर थापा ज्यू को अध्यक्षतामा दक्ष अर्धदक्ष श्रमीक, ढ्याल्ला, सामाग्री ढुवानी मेशीनरी औजार निर्माण सामाग्री लगाएतको आ.व २०७३/०८० को लागि दर रेट निर्धारण गर्न कालीगण्डकी गाउपालिकाको दर रेट निर्धारण समितिको बैठक तपशिल बमोजिमको उपस्थितीमा गाउपालिकाको सभाहलमा बैठक बसी निम्नानुसार प्रस्तावहरु माथी छलफल गरी निर्णय गरीयो ।

तपशिल

अध्यक्ष	- श्री रिखम बहादुर थापा	का.गा.पा. अध्यक्ष	
सदस्य	- श्री खड्क बहादुर थापा	नि. प्र. प्र. अधिकृत	
"	- श्री चेतनारायण कँडेल	आ. ले. प.	
"	- श्री गोपीकृष्ण पाण्डेय	निर्माण व्यवसायी	
"	श्री गणेश प्रसाद पाण्डेय (लेखा पढि)		
सदस्य सचिव	श्री सागर आचार्य	प्राविधीक शाखा प्रमु.	

विशेष उपस्थिती

श्री सावित्रा कोईराला उपाध्यक्ष का.गा.पा. स्याङ.
श्री देवेन्द्र कुमार थापा पूर्वाधार समिति संयोजक
श्री माधव प्रसाद पाण्डेय वडा नं. ४ वडा अध्यक्ष
श्री कमल प्रसाद भुषाल इन्जीनीयर
श्री चक्रपाणी पाण्डेय
श्री नारायण प्रसाद भट्टराई

अन्य उपस्थिती

श्री भिम प्रसाद श्रेष्ठ
श्री हुम प्रसाद श्रेष्ठ
श्री राजेश पाण्डेय
श्री पूर्ण बहादुर राना
श्री सन्दिप वन्मोल
श्री भागिरथ अधिकारी
श्री राम बहादुर सारु
श्री दान बहादुर गाहा
श्री हरिलाल गाहा
श्री अनिल किशोर ढुङ्गाना

प्रस्तावहरु

१. आ.व. ०७७/०७८ को ~~वा~~ बार्षिक दर रेट सम्बन्धमा।

निर्णयहरु

निर्णय नं १

प्रस्ताव नं. १ माथि छलफल गर्दा यस कालीगण्डकी गाउँपालिका विर्धा स्याङ्जाको आर्थिक वर्ष २०७७/०७८ को लागि स्थानीय सरकार ऐन २०७४ को नियम १३ बमोजीम यस क्षेत्र भित्र ~~मिल्ने~~ विभीन्न निर्माण सामाग्री ढुङ्गा, गिट्टी, बालुवा लगायतको सामाग्रीहरुको लागि तपशिल बमोजीमको दर रेट यस समितिबाट स्विकृत गरी कार्यान्वयन गर्नका ~~ला~~ कार्यपालिकामा पेश गर्ने निर्णय गरीयो।

कालिगण्डकी गाउँपालिकाको आ.व.२०७९/८० को गाउँपालिका दर रेट

निर्णय नं.१

स्थानिय सरकार संचालन ऐन २०७४ को नियम १३, बमोजिम कालिगण्डकी गाउपालिकाको यस पालिका क्षेत्र भित्र को निर्माण कार्य तथा अन्य सेवाको प्रयोजनको लागि निर्माण सामाग्री, ज्याला ,भाडा तथा महसूलको स्थानिय न्यूनतम दररेट कार्यापालिका बाट स्वीकृत गरी कार्यान्वयन ल्याउनको लागि यस समितिले सिफारिस गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ. ब. ०७९/८०को दर रेट ने.रु	कैफियत
क)	कामदारको ज्याला					
१)	ज्यामी भरिया		८००।००	८००।००	८४०.००	
२)	क) दक्ष कामदार, डकर्मी, सिकर्मी, नकर्मी		९५०।००	९५०।००	१०५०.००	
	ख अर्धदक्ष कामदार		९२५।००	९२५।००	९६१.००	
३)	सर्भे हेल्पर		८०५।००	८०५।००	८०५.००	
४)	चेनमेन, स्टाफ मेन, लेन्थमेन		८०५।००	८०५।००	८०५.००	
५)	माली नर्सरी नाइके/हेरालु		६६०।००	६६०।००	६६०.००	
६)	स्वीपर		६६०।००	६६०।००	६६०.००	
७)	प्लम्बर रक ड्रीलर/ब्लाष्टर/वेल्डर		१०७०।००	१०७०।००	१०७०.००	
८)	चौकीदार		६६०।००	६६०।००	६६०.००	
९)	सूपर भाइजर मोटीभेटर/सहजकर्ता/गेट अपरेटर					
	अ) एस.एल.सी. पास वा सिनियर		८६०।००	८६०।००	८५१.००	
	आ) एस.एल.सी. पास नभएको वा जूनियर		८०५।००	८०५।००	७९३.००	
१०)	क्याम्प वर्कर	प्रति दिन	७६५।००	७६५।००	७५१.००	
११)	स्याम्पलर खनेल		७६५।००	७६५।००	७५६१.००	
१२)	माइनिङ सर्भे हेल्पर		७६५।००	७६५।००	७५१.००	
१३)	एस.पि.टी. हेल्पर भु-गर्भ सम्बन्धी		७६५।००	७६५।००	७५१.००	
१४)	अगर ड्रिलर हेल्पर भुगर्भ सम्बन्धी		७६५।००	७६५।००	७५१.००	
१५)	ल्याब ब्वाई		७६५।००	७६५।००	७५१.००	
१६	मलाह तथा मत्स्य जलारी		८३०।००	८३०।००	८१९.००	
१७	सवारी चालक					
	अ) हल्का सवारी चालक		८८०।००	८८०।००	८७२.००	
	आ) हेभी सवारी चालक		९४०।००	९४०।००	९३५.००	
१७)	यसमा ज्याला दररेट नतोकेको पदमा भर्ना गरी ज्यालादारीमा काम गराउ दा जून पदमा काम लगाईने हो सो पदको नेपाल सरकार/संस्थान को शूरु स्केल तलव र भत्तालाई २६ ले भाग गरी हून आउने रकमलाई दैनिक ज्याला कायम गर्ने ।					
१८	चौकीदार	प्रति महिना	१५०००।००	१५०००।००	१६००.००	
१९	सेप्टी टंकी सफा गर्ने कामदार को लागी कामदारको रेटको लागी २ ले गुणा गर्ने					
२०	सेनीटरी नाली सफा गर्ने कामदार को लागी कामदारको रेटको लागी १.५ले गुणा गर्ने					

यसमा उल्लेखित कामदारको काम गर्ने समय फिल्डको लागि ८ (आठ) र कार्यालय हाजिर हुनेको लागि कार्यालय समय अवधिभर कायम गरिएको छ ।

निर्णय नं.२

ढुवानी दर तथा ढुवानी भाडा सम्बन्धमा आ.व. ०७८/७९ को लागि कालिगण्डकी गाउपालिका भित्र सामान ढुवानी गर्नुपर्दा देहाय अनुसारको ढुवानी दर तथा ढुवानी भाडा सिफारिस गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ. व. ०७९/८०को दर रेट ने.रु	कैफियत
क)	मानिस (भरिया) द्वारा ढुवानी					
१)	सजिलो समान डोको वा बोरामा राखी बोकन मिल्ने जस्तै : चिनी, नुन, चामल आदि ।	प्रति के.जी.	२।६६	२।६६	२.५४	*
२)	असजिलो समान जस्तै ग्याबियन जाली, औषधी, सीसा आदि ।	प्रति कोष	२।९०	२।९०	२.७७	*
३)	जि.आई.पाईप, एच.डि.पी. पाईप, झोलुङ्गे पूलका लठ्ठाहरु, इलेक्ट्रीक पोलहरु विभिन्न साइजका (६मी. लम्बाईसम्म)	प्रति के.जी. प्रति कोष	५।४५	५।४५	५.२०	*
४)	बिजुलीको पोल ६ मी. भन्दा बढी लम्बाई भएको काठ र सिमेन्ट पोल तथा स्टिल पोल समेत	प्रति के.जी.	९।६८	९।६८	९.२४	*
५)	ट्रान्सफर्मर ढुवानी	प्रति कोष	३६।३०	३६।३०	३४.६५	*
ख)	सवारी साधनबाट ढुवानी (१० टन क्षमता)					
१)	अन्य राजमार्गबाट लामो दूरी	प्रति	२।९०	२।९०	२.७७	२० कि.मी.भन्दा माथिको लामो दूरी मानिएको
२)	पीच सडक छोटो दूरी	कि.मी.	३।३९	३।३९	३.२३	
३)	कच्ची बाटोमा	प्रति	१३।३१	१३।३१	१२.७१	
४)	ग्राभेल बाटोमा	क्विन्टल	९।०८	९।०८	८.६६	
५)	पोलिथिन पाइप गाडीबाट ढूवानी गर्दा तौलको आधारमा ट्रिप पुऱ्याउने प्रयोजनको लागि माथि उल्लेखित दर रेटलाई २.५ ले गूणा गरी दर कायम गर्ने ।					
ग)	लोड/अन्लोड गर्ने काम					
१)	सजिलो सामान तौल निर्धारण भएको	प्रति क्विन्टल	२०।५७	२०।५७	१९.६४	*
२)	तौल निर्धारण नभएको	प्रति ट्रक	१८१५।००	१८१५।००	१७३२.५०	*
घ)	ढूवानी सम्बन्धी अन्य व्यवस्था :विशेष अवस्थामा कूनै भरियाले ४(चार) कोष टाढा ढूवानी नगरी २.० कोष माथिको दूरीमा ढूवानी गर्न परेमा त्यस्तो अवस्थामा निजलाई १ दिनको ज्याला दिन सकिने ।					
ङ)	सवारी साधन/ओजार भाडामा लिंदा (ईन्धन, ड्राइभर र हेल्परको भत्ता समेत)					
१)	जीप, ट्याक्स	प्रति दिन	६७००।००	६७००।००	७०३५.००	
२)	पावर टेलर (सानो)		२६०१।००	२६०१।००	२६७७.५०	*
३)	ट्याक्टर (ठूलो)		६०००।००	६०००।००	५७७५.००	
४)	मिनी ट्रक		७५००।००	७५००।००	७२८२.८०	
५)	ट्रक (१० टन सम्म)		१२०००।००	१२०००।००	९६३९.००	
६)	ट्रीपर	प्रति दिन	१२४८४।८०	१२४८४।८०	१२८५२.००	*
७)	मिक्स्चर + भाइब्रेटर		८३२३।२०	८३२३।२०	८५६८.००	*
८)	रोलर (६ टनसम्मको क्षमता)	प्रति घण्टा	१०४०।४०	१०४०।४०	१०२०.००	तेल बाहेक
९)	रोलर (१२ टनसम्मको क्षमता)		१५६०।६०	१५६०।६०	१५३०.००	
१०)	लोडर (१.७५ देखि २.५ घ.मी. क्षमता भएको)		१३५२।५२	१३५२।५२	१३२६.००	
११)	डोजर (क) १५० देखि १८० हर्स पावर भएको		२४९६।९६	२४९६।९६	२४४८.००	
	ख) १८० देखि २४० हर्स पावर भएको		२९१२।१२	२९१२।१२	२८५६.००	
१२)	एक्साभेटर (क) १५० देखि १८० हर्स पावर भएको		२४९६।९६	२४९६।९६	२४४८.००	
	ख) १८० देखि २४० हर्स पावर भएको		२९१२।१२	२९१२।१२	२८५६.००	
१३)	विटूमिन डिस्टिब्यूटर		१५६०।६०	१५६०।६०	१५३०.००	
१४)	ग्रेडर	प्रति घण्टा	१८७२।७२	१८७२।७२	१८३६.००	
१५)	ब्रेकर (डोजर बाहेक)		१३५२।५२	१३५२।५२	१३२६.००	
च)	टेंकर बाट पानी ढुवानी (४००० लिटर)	टेंकर	७२८।२८	७२८।२८	७१४.००	*

लिखित बाहेकका थप निर्माण सम्बन्धि उपकरणहरु प्रयोग गर्नु पर्ने अवस्थामा सडक बिभागबाट जारी DOR Equipment Rate लाई आधार मान्य

निर्णय नं. ३

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामाग्रीको विवरण	इकाई	आ.व. ०७७/७८ को दर रेट ने.रु.	आ.व. ०७८/७९ को दर रेट ने.रु.	आ. व. ०७९/८०को दर रेट ने.रु	कैफियत
	सिमेन्ट					
१	नेपाली सिमेन्ट(५०के.जी. ब्याग) – हेटौडा, उदयपुर	बोरा	कारखानाको मुल्यमा ढुवानी			
	नेपाली सिमेन्ट(५०के.जी ब्याग) अन्य PPC		७२०।००	७००।००	६७०.००	
	नेपाली सिमेन्ट(५०के.जी ब्याग)जगदम्बा,शिवम,मारुती, Ultra or equivalent OPC		८२५।००	८००।००	७७०.००	
२	इण्डियन सिमेन्ट (५० के.जी ब्याग) – ४३ ग्रेड		७९०।००	७९०।००	७९०.००	
	□ ५३ ग्रेड		८००।००	८००।००	८००.००	
३	ह्वाइट सिमेन्ट (४० के.जी ब्याग)		१२३०।००	१२३०।००	१३००.००	
३ क	सिलिका सिमेन्ट एडमिक्सचर	के.जी.	३३०।००	३३०।००	३३०.००	
ख)	Durakrit admixture		५००।००	५००।००	५००.००	
ग)	Durasupaspred admixture		१५०।००	१५०।००	१५०.००	
घ)	Duramicro silics admixture		१००।००	१००।००	१००.००	
ङ)	Duraepoxy admixture		२५००।००	२५००।००	२५००.००	
	फलामे छड					
४	फलामे छड – ५ देखि ७ मी.मी	के.जी.	८४।००	८४।००	९०.००	
	– १० देखि २५ मी.मी.		८०।००	८०।००	८५.००	
	– ८ र २५ देखि ३२ मी.मी.		८४।००	८४।००	९०.००	
५	बाइण्डिङ् तार		१०५।००	१०५।००	११५.००	
६	किला, काटी		११०।००	१०५।००	११५.००	
७	फलामे पाता Mild Steel Plate 2.5, 4.0, & 5mm	के.जी.	१२०।००	१२०।००	१३०.००	
८	सिमेन्टको खाली बोरा	गोटा	७।५०	७।५०	७.५०	
९	साधारण प्लाइउड	व.फी.				
	क) ३ मी.मी.		२०।००	२०।००	२२.००	
	ख) ४ मी.मी.		२५।००	२५।००	२७.००	
	ग) ६ मी.मी.		३६।००	३६।००	३८.००	
	घ) ८ मी. मी .			३८।००	४०.००	
	ङ) १२ मी.मी.			५५।००	५२.००	
	च) १८ मी.मी.			९८।००	१००.००	
१०	वाटर प्रूफ प्लाइउड					
	क) ४ मी.मी.		४५।१०	४९।६१	४७.००	
	ख) ६ मी.मी.		४७।३०	५२।०३	४९.००	
	ग) ८ मी.मी		६३।८०	७०।१८	६५.००	
	घ) १२ मी.मी. (FI finish)		६९।३०	११०।००	७१.००	
	ङ) १८ मी.मी.		१०४।५०	११४।९५	१०६.००	
११	सनमाइका		४७।३०	५२।०३	४९.००	
१२	रबर शिल १२०/२३०	र.मी.	४९५।००	५४४।५०	५४४.५०	
१३	ईटा	हजार				
	क) चाइनिज इट्टा (तेलिया)		२१०००।००	२००००।००	२००००.००	
	ख) चिम्नी भट्टाको ईटा जामुनेको लोकल		१४७००।००	१४७००।००	१४७००.००	
	ग) चिम्नी भट्टाको ईटा भैरहवाको		२००००।००	१८०००।००	१९०००.००	
	घ) ठाडो भट्टाको ईटा		११०००।००	११०००।००	११०००.००	
	ङ) स्थानिय स्तरको लोकल ईटा		८०००।००	८०००।००	१००००.००	
	च) ईटा टुक्रा	घ.मी.	६०००।००	६०००।००	६०००.००	
१४	क.बालुवा (राम्रो)	घ.मी.	१९००।००	१९००।००	२०५०.००	
	ख.क्रसरबाट चालिएको स्किन गरिएको तथा धोएको तयारी बालुवा		२३५०।००	२३५०।००	२३५०.००	**
१५	बालुवा साधरण		१४७०।००	१४७०।००	१५८७.००	
१६	बोल्डर ढुंगा		१२००।००	१०००।००	१२००.००	

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८० को गाउँपालिका दर रेट

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

१७	क)फोरुवा ढूंगा		१३००।००	१२००।००	१३००.००	
	ख)कुदेको ढूंगा		४३००।००	४२००।००	४३००.००	
	खोलाको नचालेको गिट्टी		१३१०।००	१३१०।००	१३१०.००	
	नदीको रिबरबेड मेटेरियल *(River bed materials, Brrowed and filling materials)*	घ.मी.	११००।००	११००।००	११००.००	
	खानीबाट निकालिएको ग्रेभल *(Grannual materials,Brrowed and filling materials)*	घ.मी.	८००।००	८००।००	८००.००	
	खोलाको चालेको गिट्टी	घ.मी.				
१८	क) ठूलो (२५मी.मी भन्दा ठूलो)		१६८०।००	१६८०।००	१७१५.००	
	ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		१७५०।००	१७५०।००	१७८५.००	
	ग) सानो (१०मी.मी. भन्दा सानो)		१८००।००	१८००।००	१८३५.००	
	लोकल चिप्स (० देखी १९ मिमि),बेस डस्ट	घ.मी.	१४००।००	१४००।००	१४३०.००	
	लोकल चिप्स (५ देखी १० मिमि)		१४००।००	१४००।००	१४३०.००	
	लोकल चिप्स (१० देखी १४ मिमि)		२०००।००	२०००।००	२०४०.००	
	रोड बेस (० देखी ४० मिमि)		१८००।००	१८००।००	१८३५.००	
	कूटेको गिट्टी	घ.मी.				
	क) ठुलो (२५मी.मी भन्दा ठुलो)		१९५०।००	३०००।००	१९९०.००	•
	ख) मझौला (१०मी.मी.देखि २५मी.मी.सम्मको)		२२००।००	३५००।००	२२४५.००	•
	ग) सानो (१०मी.मी. भन्दा सानो)		२३५०।००	३८००।००	२४००.००	•
	गारो लगाउने माटो (ढुवानी समेत)	घ.मी.	०।००	०।००		
	क) साधारण माटो		५५०।००	५५०।००	५५०.००	
	ख) रातो माटो		६००।००	६००।००	६००.००	
	सिमेन्ट कंक्रिट ब्लक					
	क) ब्लक साइज ४"x८"x१६"	गोटा	३७।००	३७।००	३८.००	
	ख) ब्लक साइज ६"x८"x१६"		४२।००	४२।००	४३.००	
२१	ग) ब्लक साइज ८"x८"x१६"		५०।००	५०।००	५१.००	
	घ) ब्लक साइज ८"x८"x८"	गोटा	३०।००	३०।००	३१.००	
	ङ) ब्लक साइज ४"x१२"x१२"		५०।००	५०।००	५१.००	
	च) ब्लक साइज ७"x७"x१९"		५५।००	५५।००	५६.००	
२१।१	**AAC हलुका Blocks**					
	क) ब्लक साइज २४"x४"x८"	गोटा	१३७।००	१३७।००	१४०.००	••
	ख) ब्लक साइज २४"x६"x८"		२०६।००	२०६।००	२१०.००	••
	ग) ब्लक साइज २४"x८"x८"		२७४।००	२७४।००	२८०.००	••
२१।२	**AAC Mortar (४०केजी)**	बोरा	१७७०।००	१७७०।००	१८०५.००	••
२२	बूट्टेदार स्किन जाली झ्याल	गोटा	५५।००	५५।००	५७.००	
२३	आर.सि.सि. त्रिकोश ६"x३		१७८५।००	१७८५।००	१८२०.००	
२४	सिमेन्ट कन्क्रीट रोड कर्व (50*10*30) से.मी		२००।००	२००।००	२०५.००	
२५	सिमेन्ट कन्क्रीट रोड कर्व (50*12*30) से.मी	गोटा	२२५।००	२२५।००	२३०.००	
२६	खास्सी (१२"x१०"	सिट	१५।००	१५।००	१६.००	
	अलकत्रा (बिटुमीन)					
	क) ८०/१०० ग्रेड	के.जी.	७१।४५	७१।४५	८४.	•
	ख) बिटूमीन ईमलसन् – छिटो जम्ने ६०% बिटुमीन		७१।००	७१।००	७५.००	
२७	मध्यम जम्ने ६०% बिटुमीन	के.जी.	७१।००	७१।००	७५.००	
	ढिलो जम्ने ६०% बिटुमीन		७१।००	७१।००	७५.००	
	मार्एन्ट स्टिरिपिङ लिक्विड		४००।००	४००।००	४२०.००	
	रंगरोगन सम्बन्धी					
२८	क) गम सामान्य		२१०।००	२१०।००	२१०.००	•

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

	ख) गम राम्रो (कोल)	के.जी.	२८०।००	२८०।००	२८०.००	
२९	रेजिन पेन्ट		१५०।००	१५०।००	१५०.००	
३०	अस्तर (Primer) पेन्ट (फलामको काम)		२८५।००	२८५।००	२८५.००	
	अस्तर (Primer) पेन्ट (काठको काम)	लिटर	३१०।००	३१०।००	३१०.००	
३१	इनामेल पेन्ट		५५०।००	५००।००	५७०.००	
३२	स्नोसेम सिमेन्ट पेन्ट	के.जी.	६०।००	६०।००	६०.००	
	एल्मुनियम पेन्ट		६१०।००	६००।००	६१०.००	
३३	जिंक रेड अक्साइड		३९०।००	३९०।००	३९०.००	
३४	डिस्टेम्पर पेन्ट		२६०।००	२६०।००	२६०.००	
३५	लिडसिड आयल	लिटर	२००।००	२००।००	२००.००	
३६	तारपेन्टाइन तेल		१५०।००	१४०।००	१५०.००	
३७	वार्नेस पेन्ट (सिन्थेटिक)		२००।००	२००।००	२००.००	
३८	प्लास्टिक इमल्सन पेन्ट					
३९	क) इमल्सन पेन्ट (वेदर कोट एक्सटेरियर)		८४०।००	७८०।००	८४०.००	
४०	ख) इमल्सन पेन्ट (इन्टेरियर कोट)		६००।००	५५०।००	६००.००	
४१	सफेदा पेन्ट	लिटर	१७५।००	१७५।००	१७५.००	
४२	गेरु रेड अक्साइड		२६०।००	२६०।००	२६०.००	
४३	सरेस पेन्ट राम्रो		१६५।००	१६५।००	१६५.००	
४४	अलकत्रा पेन्ट साधारण		१००।००	१००।००	१००.००	
४५	रबर पेन्ट		२००।००	२००।००	२००.००	
४६	चूना न. १	के.जी.	२५।००	२५।००	२५.००	
४७	चूना न. २		२२।००	२२।००	२२.००	
	काठ सम्बन्धी					
४८	साल काठ कटानी चिरानी ढुवानी (तराईको राम्रो)		४८००।००	४८००।००	५०००.००	
४९	साल काठ कटानी चिरानी ढुवानी (स्थानीय)		३२००।००	३२००।००	३२००.००	
५०	सिसौ काठ कटानी चिरानी ढुवानी	घ.फि.	३०००।००	३०००।००	३०००.००	
५१	अन्य क काठ कटानी चिरानी ढुवानी		१०००।००	१०००।००	१३००.००	
५२	सल्ला काठ कटानी चिरानी ढुवानी		१३००।००	१३००।००	१३००.००	
५३	दाउरा	क्विन्टल	९००।००	९००।००	९००.००	
५४	काठको लिस्टी	र.फि.	२०।००	१५।००	२०.००	
५५	साइनबोर्ड लेखाई (साल काठको फ्रेममा)	व.फि.	३००।००	२८०।००	३००.००	
५६	कार्भिङ स्टयाण्डर्ड ढोका	व.फि.	२४००।००	२४००।००	२४००.००	
५७	सिसौ काठ (३"X४") रेलिङ भऱ्याङ	र.फि.	७५०।००	७५०।००	७५०.००	
५८	सिसौ काठ (२४") छर्वगिकतवबमभ ठाडो काठ फिटिङ सहित	गोटा	८५०।००	८५०।००	८५०.००	
	विद्युत तथा विद्युतिकरण सम्बन्धी					
५९	१/२" प्लाष्टिक लिस्टी	र.मी.	३६।७५	३६।७५	३८.००	
६०	३/४" प्लाष्टिक लिस्टी	र.मी.	३७।८०	३७।८०	३९.००	
६१	एक्जस्ट फ्यान फ्रेम सहित ISI फिटिङ सहित	गोटा	३२००।००	३२००।००	३३००.००	
६२	५६.१ पानी तान्ने मोटर पम्प (फिटीङ सहित)		०।००	०।००		
	क) ईण्डियन ०.५० HP	गोटा	६५००।००	६५००।००	६५००.००	
	ख) ईण्डियन १.०० HP		९८००।००	९८००।००	९८००.००	
	ग) चाईनिज ०.५० HP		१४००।००	१४००।००	१४००.००	
	५६.२ पानी तान्ने मोटर पम्प SUBMERSSIBLE					
	१) ईण्डियन १.० HP	गोटा	३००००।००	३००००।००	३००००.००	
	२) ईण्डियन १.५ HP	गोटा	३३०००।००	३३०००।००	३३०००.००	
	३) ईण्डियन २.० HP	गोटा	४८०००।००	४८०००।००	४८०००.००	

Rupa

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

	४) ईण्डियन ३.० H.P.	गोटा	५५०००।००	५५०००।००	५५०००.००	
	५) ईण्डियन ५.० H.P.	गोटा	८००००।००	८००००।००	८००००.००	
	६) ईण्डियन ७.५ H.P.	गोटा	११००००।००	११००००।००	११००००.००	
	७) ईण्डियन १०.० H.P.	गोटा	१३००००।००	१३००००।००	१३००००.००	
	८) ईण्डियन १२.५ H.P.	गोटा	१६००००।००	१६००००।००	१६००००.००	
	९) ईण्डियन १५.० H.P.	गोटा	१७००००।००	१७००००।००	१७००००.००	
	१०) ईण्डियन १७.५ H.P.	गोटा	१८५०००।००	१८५०००।००	१८५०००.००	
	११) ईण्डियन २५.० H.P.	गोटा	२०००००।००	२०००००।००	२०००००.००	
६३	८ एम.एम. केवल तार N.S.	मि.	४३।००	४३।००	४३.००	
	विद्यूत पोल					
६४	बिजूली कंक्रिट पोल ८ मी. लामो PCS	गोटा	८०८५।००	८०८५।००	८९००.००	
	□ ९ मी. लामो PCS	गोटा	१०५००।००	१०५००।००	१०५००.००	
	□ १०४ मी. लामो PCS		१७८५०।००	१७८५०।००	१७९००.००	
६५	बिजुली स्टिल टिबुलर पोल तल्लोभाग गेल्भनाइज गरिएको हेभी□ट मी.लामो १०१के.जी	गोटा	१५९०७५०	१५९०७५०	१६५००.००	
	हेभी – ९ मी.लामो १४७के.जी.		२३१५२५०	२३१५२५०	२३२००.००	
	हेभी – १० मी. लामो १६० के.जी		२५२००।००	२५२००।००	२५२००.००	
	हेभी– ११ मी. लामो १७५ के.जी.		२७५६२५०	२७५६२५०	२७६००.००	
६५ ।१	स्टिल टिबूलर पोल तल्लो भाग गेल्भनाइज गरेको	के.जी.	१५७५०	१५७५०	१६०.००	
६५ ।२	टेलिस्कोपिक पोल तल्लो भाग गेल्भनाइज गरेको		१९४२५	१९४२५	१९५.००	
६५ ।३	स्टिल टिबूलर पोल तल्लो भाग पेन्टीङ गरेको		१४७।००	१४७।००	१५०.००	
६५ ।४	Pole accessories with galvinization (Clamp , Nuts, Bolts ,anchorage rod support hook)	के.जी.	०।००	०।००	२८०.००	
६५ ।५	Pole clamp (MS)	गोटा	१८५।००	१८५।००	१८५.००	
६५ ।६	Nuts and Bolts for pole	गोटा	२३०।००	२३०।००	२३०.००	
६६	Stay Insulator (LT)	गोटा	९२।००	९२।००	९२.००	
	11KV Butta type fuse link 1 to 20 Amp.	गोटा	१२७।००	१२७।००	१२७.००	
६७	11 KV Disc Insulator	सेट	९५०।००	९५०।००	९५०.००	
६८	Pin Insulator set	सेट	४००।००	४००।००	४००.००	
६९	Pin Insulator tie	सेट	५८।००	५८।००	५८.००	
क)	11 KVA Pin Insulator	सेट	४४५।००	४४५।००	४४५.००	
ख)	33 KVA Pin Insulator	सेट	९००।००	९००।००	९००.००	
७०	Support Hook Channel (MS) for pole	के.जी.	१८५।००	१८५।००	१८५.००	
७१	D Iron Shackle set	सेट	१५०।००	१५०।००	१५०.००	
७२	Complete Stay set	सेट	१४५०।००	१४५०।००	१४५०.००	
७३	Stay wire	के.जी.	१६०।००	१६०।००	१६०.००	
७४	Stay Insulator HT	गोटा	१७०।००	१७०।००	१७०.००	
७५	Brassing Plate for pole MS	के.जी.	१८५।००	१८५।००	१८५.००	
७६	33 KVA lighting Arestor (3 pcs set)	सेट	५१०००।००	५१०००।००	५१००.००	
७७	Drop Out Fuse set 11KVA (3 pcs set)	सेट	१२०००।००	१२०००।००	१२०००.००	
७८	9KVA Lighting Arestor (3 pcs set)	सेट	९०००।००	९०००।००	९०००.००	
७९	Cable shoes (95 or 120)	गोटा	०।००	०।००		
क)	Cable shoes (50mm)	गोटा	९०।००	९०।००	९०.००	
ख)	Cable shoes (70mm)	गोटा	१५०।००	१५०।००	९०.००	
ग)	Cable shoes (95mm)	गोटा	१५८।००	१५८।००	१५८.००	
८०	Earthing set	सेट	०।००	०।००		
८१	Copper coated earthing rod	गोटा	२४००।००	२४००।००	२४००.००	
८२	Copper earthing plate	के.जी.	१७५०।००	१७५०।००	१७५०.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

८०	Copper wire (Transformer to plate)	के.जी.	१३५०।००	१३५०।००	१३५०.००	
८१	Dead end clamp	सेट	३८०।००	३८०।००	३८०.००	
८२	11/0.4KV , NEA Standard, Low Loss NEEK or Equivalent Transformer					
क)	25 KVA	गोटा	२६१४००।००	२६१४००।००	२७५०००.००	
ख)	50 KVA	गोटा	३७३०००।००	३७३०००।००	३९००००.००	
ग)	100 KVA	गोटा	५९००००।००	५९००००।००	५९००००.००	
घ)	150 KVA	गोटा	८०००००।००	८०००००।००	८०००००.००	
ङ)	200 KVA	गोटा	१०२३९००।००	१०२३९००।००	९७५०००.००	
८३	4 core Insulation cable(70mm)	मि.	७००।००	७००।००	७००.००	
८४	75 A MCCB LG Korean	गोटा	६१००।००	६१००।००	६१००.००	
क)	MCCB 50 A, 3 Phase (Indian/ Korean)	गोटा	१०८००।००	१०८००।००	१०८००.००	
ख)	MCCB 80 A, 3 Phase (Indian/ Korean)	गोटा	१०९००।००	१०९००।००	१०९००.००	
ग)	MCCB 160 A, 3 Phase (Indian/ Korean)	गोटा	२००००।००	२००००।००	२००००.००	
घ)	MCCB 300 A, 3 Phase (Indian/ Korean)	गोटा	३५०००।००	३५०००।००	३५०००.००	
८५	11 KVA,Load Disconnecting switch (knife Switch)	सेट	२५४००।००	२५४००।००	२५४००.००	
	Copper wire	के.जी.	१६२०।००	१६२०।००	१७००.००	
	Aluminium Binding wire	के.जी.	१३५०।००	१३५०।००	१३५०.००	
	ABC cable (50 sq mm) 4 core unarmod aluminum	मि.	८००।००	८००।००	६००.००	
	ABC cable (25 sq mm) 4 core unarmod aluminum	मि.	५००।००	५००।००	५००.००	
	Armoured cable, 95 sq mm,Lt copper	मि.	४८००।००	४८००।००	४८००.००	
	Steel Tubular Pole Bottom Switch	के.जी.	१५०।००	१५०।००	१५०.००	
	XLPE 11 KV 95 sq mm Cable Galvanish	मि.	४०००।००	४०००।००	४०००.००	
	XLPE 11 KV 70sq mm Cable	मि.	२५००।००	२५००।००	२५००.००	
	XLPE 11 KV 35 sq mm Cable	मि.	१९००।००	१९००।००	१९००.००	
८६	Pump लगाई Dewatering गर्ने	घण्टा	८१०।००	८१०।००	८१०.००	
८७	रेसमी तार (१४/६०)	क्वायल	४६०।००	४६०।००	४६०.००	
८८						
८९	कपर तार	क्वायल				
	क) ३/२० साइजको		२१००।००	२१००।००	२१००.००	
	ख) ३/२२ साइजको		१४१७।५०	१४१७।५०	१४१७.५०	
	ग) ७/२० साइजको		५२५०।००	५२५०।००	५२५०.००	
	घ) ७/२२ साइजको		३०६०।००	३०६०।००	३०६०.००	
	ङ) १/१८ साइजको		११८६।५०	११८६।५०	११८६.५०	
९०	कन्सेटिक लाइब तार ४ वर्ग मी.मी	मि.	२५।००	२५।००	२५.००	
	६ वर्ग मी.मी		३०।००	३०।००	३०.००	
	१० वर्ग मी.मी		४५।००	४५।००	४५.००	
	१६ वर्ग मी.मी		७५।००	७५।००	७५.००	
	२५ वर्ग मी.मी		१००।००	१००।००	१००.००	
			०।००	०।००		
९१	एल टि एच टि लाईव कन्डक्टर	मिटर	३५।००	३५।००	३५.००	1201-3Phase
क)	0.03 sq inch ACSR Conductor (Weasel)		५८।००	५८।००	५८.००	11KV
ख)	0.05 sq inch ACSR Conductor (Rabit)		१०४।००	१०४।००	१०४.००	33KV
ग)	0.1 sq inch ACSR Conductor (Dog)	गोटा	३२।००	३२।००	३२.००	
९२	One Way फल्स स्याह स्वीच		४४।००	४४।००	४४.००	
९३	Two Way फल्स स्याह स्वीच		४८।००	४८।००	४८.००	
९४	बेल पुस (Bell Push)		३२।००	३२।००	३२.००	
९५	इन्डिकेटर लेम्प		३४।००	३४।००	३४.००	
९६	TWO PIN सकेट		३४।००	३४।००	३४.००	
९७	Three Pin सकेट		४६।००	४६।००	४६.००	
९८	युनिभर्सल सकेट					

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

९९	कन्भर्सन सकेट १० Amp पिन्ट क्याट फ्युज समेत		७५।००	७५।००	७५.००	
१००	टेलिफोन सकेट		१०४।००	१०४।००	१०४.००	
१०१	Switch Gears ISI Mark		०।००	०।००		
	क) ६० AMP मेन स्वीच	गोटा	१५००।००	१५००।००	१५००.००	
	ख) १६ Amp ४१५ Volt D.P. स्वीच		१६५०।००	१६५०।००	१६५०.००	
	ग) ३२ Amp ४१५ Volt मेन स्वीच		२१००।००	२१००।००	२१००.००	
	घ) ६३ Amp ४१५ Volt मेन स्वीच	सेट	३७५०।००	३७५०।००	३७५०.००	
	ङ) १०० Amp ४१५ Volt मेन स्वीच		४४५०।००	४४५०।००	४४५०.००	
	च) १६ Amp ४१५ Volt T.P. स्वीच		१०४०।००	१०४०।००	१०४०.००	
	छ) ३२ Amp ४१५ Volt T.P. स्वीच		१५००।००	१५००।००	१५००.००	
१०२	एम.सि.बी (MCB)		०।००	०।००		
	क) D.B. १० Way	गोटा	११५०।००	११५०।००	११५०.००	
	ख) D.B. ४ Way		५७५।००	५७५।००	५७५.००	
	ग) D.B. ६ Way	सेट	९२५।००	९२५।००	९२५.००	
	घ) D.B. ८ Way		१०४०।००	१०४०।००	१०४०.००	
	ङ) D.B. १२ Way		१५२०।००	१५२०।००	१५२०.००	
१०३	Main Switch box 60 Amp.		४१००।००	४१००।००	४१००.००	
१०४	म्युजिकल कल बेल (ISI)		४५०।००	४५०।००	४५०.००	
१०५	६"(८") डोम (DOM) लाइट साधारण		१८५।००	१८५।००	१८५.००	
१०६	ब्राकेट	गोटा	३२०।००	३२०।००	३२०.००	
१०७	६" राउण्ड ब्लक		५७५।००	५७५।००	५७५.००	
१०८	C.P.L कम्बीनेसन स्वीच सकेट ५/१५ AMP.		२५०।००	२५०।००	२५०.००	
१०९	४" र २" लामो ट्युव लाइट सेट		५३०।००	५३०।००	५३०.००	
११०	१०" लामो मिरर लाइट सेट		७२०।००	७२०।००	७२०.००	
१११	सिलिङ (Ceiling)रोज		२०।००	२०।००	२०.००	
११२	बेल्जीयम वाल फेन्सी लाइट		४९५।००	४९५।००	४९५.००	
११३	होल्डर बोर्ड		१७।००	१७।००	१७.००	
	10 A fuse			४३।००	४३.००	
	Holder			३४।००	३४.००	
	4" x 4" PVC plate	गोटा		८।००	८.००	
११४	बल्व (Bulb) सम्पूर्ण बाटका		२३।००	२३।००	२३.००	
	LED bulb 5 watt warranty			१८३।००	१८३.००	
	LED bulb 7 watt warranty			२३२।००	२३२.००	
	LED bulb 5 watt local			६५।००	६५.००	
	LED bulb 5 watt warranty			९३।००	९३.००	
११५	Power सकेट C.P.L.		३००।००	३००।००	३००.००	
११६	जक्सन वक्स मेटल सेट (४"-१२" सम्मको)		४०।००	४०।००	४०.००	
११७	८"x१०" सनमाइका		५५।००	५५।००	५५.००	
११८	One gang one way Switch		८०।००	८०।००	८०.००	
	one gang two way switch			१२०।००	१२०.००	
	Two gang one way switch			१७०।००	१७०.००	
	Three gang one way switch			२२०।००	२२०.००	
	Four gang one way switch			२७०।००	२७०.००	
	6 gang 1 way switch			४००।००	४००.००	
	8 gang 1 way switch			५००।००	५००.००	
	10 gang 1 way switch			५८०।००	५८०.००	
	1 gang + 5/16 powwer socket with indicator			३१०।००	३१०.००	
	1 gang 5/16A + MF multi power socket with ind	गोटा		३३०।००	३३०.००	
	1 gang + Mf socket			२२०।००	२२०.००	
	2 gang + MF socket			२५०।००	२५०.००	
	2 gang double 5/16 a power socket with ind			५८०।००	५८०.००	
	2 gang double 16 a + mf multi power socket			६२०।००	६२०.००	
११९	Two gang Two way Switch		१००।००	१००।००	१००.००	
१२०	One gang बेल पुस		८०।००	८०।००	८०.००	
१२१	Two gang बेल पुस		१३५।००	१३५।००	१३५.००	
१२२	Three gang बेल पुस		१८०।००	१८०।००	१८०.००	
१२३	Four gang बेल पुस		२०५।००	२०५।००	२०५.००	
१२४	रिपेयर सकेट ▯ ७५ मी.मी.		१४५।००	१४५।००	१४५.००	
	▯ ११० मी.मी.		२१०।००	२१०।००	२१०.००	
१२५	इलेक्ट्रीकल फिटिङ्ग चार्ज	प्वाइन्ट	७५।००	७०।००	७०.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

१२६	बिजुली वाइरिङ सम्बन्धि	प्वाइन्ट	०।००	०।००	०.००	
	क) २x३/२०, ३/२२, १/१८ कपर तार तथा पि.भि.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सील्ड वाइरिङ् गर्ने		३८०।००	३८०।००	३८०.००	
	ख) २x७/२०, ७/२२ कपर तार पि.भी.सी. वा एच.डि.पी. पाइप राखी सामान समेत कन्सील्ड वायरिङ् गर्ने		४२०।००	४२०।००	४२०.००	
	ग) विभिन्न किसिमको कपर तार प्रयोग गरी पि.भी.सी. लिप्टी राखी सामान समेत सर्भिस वायरिङ् गर्ने		३२०।००	३२०।००	३२०.००	
	14/0060 PVC insulated flexible wire per coil (90m) medium	coil		८५०।००	८५०.००	
	23/0060 PVC insulated flexible wire per coil (90m) sp. Thick	coil		१४५०।००	१४५०.००	
	Multi standard flexible copper wire 0.5 mm	coil		७१७।००	७१७.००	
	Multi standard flexible copper wire 0.75 mm	coil		१००५।००	१००५.००	
	Multi standard flexible copper wire 1 mm	coil		१३१४।००	१३१४.००	
	Multi standard flexible copper wire 1.5 mm	coil		१९६५।००	१९६५.००	
	Multi standard flexible copper wire 2.5 mm	coil		३२२२।००	३२२२.००	
१२७	पंखा सम्बन्धी	गोटा			०.००	
	क) पंखा सिलिङ् साधारण		१८००।००	१८००।००	१८००.००	
	ख) पंखा सिलिङ् राम्रो ३६"/४२"		३२००।००	३२००।००	३२००.००	
१२८	२x७/२०, ७/२२ ३/२२ को मेन लाइन पि.भी.सी., च्यानल लिष्टी समेत ढमद्या देखि जक्सन बक्ससम्म)	मि.	११०।००	११०।००	११०.००	
१२९	भूई सिलिङ् तथा भित्ता सम्बन्धी				०.००	
१२९क	काठ(wooden floor) को फ्लूर perqueting				०.००	
	8mm thick(८mm मोटई)	व.फि.	१५०।००	१५०।००	१५०.००	**
	12mm thick(१२mm मोटई)		२५०।००	२५०।००	२५०.००	**
	वाल पपेर (wall paper)	गोटा	३०००।००	३०००।००	३०००.००	**
	Plaster of paris Normal	Sqm	१९३।००	१९३।००	१९३.००	**
	Plaster of paris Putting	Sqm	१५८।००	१५८।००	१५८.००	**
	Plaster of Paris Corner Butta	Nos	७१७।००	७१७।००	७१७.००	**
	Plaster of Paris Ceter Butta	Nos	१६००।००	१६००।००	१६००.००	**
	Plaster of Paris Cornice	Rm	७२।००	७२।००	७२.००	**
	Gypsum Board	Sq.ft.	१०५।००	१०५।००	१०५.००	**
१३०	टायल वाल टायल साधारण (नन लुस्टर)	व.फि.	६०।००	६०।००	६०.००	*
	वाल टायल राम्रो (लुस्टर)		८२।००	८२।००	८२.००	*
	फ्लोर टायल साधारण (नन लुस्टर)		९०।००	९०।००	९०.००	*
	फ्लोर टायल राम्रो (लुस्टर)		१००।००	१००।००	१००.००	*
१३१	मार्वल – साधारण १२ एम.एम बाक्लो		१७५।००	१७५।००	१७५.००	*
	– ग्रेनाइट १९ एम.एम बाक्लो		३५५।००	३५५।००	३५५.००	*
१३२	सेतो मार्वल चिप्स	के.जी.	१६।५०	१६।५०	१६.५०	
१३३	रंगीन मार्वल चिप्स		१७।५०	१७।५०	१७.५०	
१३४	अक्जालिक एसिड	के.जी.	२८०।००	२८०।००	२८०.००	
१३५	मैन पालिस		४५०।००	४५०।००	४५०.००	
१३६	कार्वोरेण्डम ढुंगा	गोटा	२५०।००	२५०।००	२५०.००	
१३७	P.V.C. टायल (फिटिङ् सहित)	व.फि.	८०।००	८०।००	८०.००	
१३८	Water Proof कम्पाउण्ड पाउडर	के.जी.	८५।००	८५।००	८५.००	
	झोल	लिटर	२६०।००	२६०।००	२६०.००	
१३९	तारजाली सम्बन्धी					
	जि.आई. तार (नेपाल गुणस्तर चिन्ह प्राप्त)					
	क) हेभी कोटिङ्ग – ८ गेज		११०।२१	११७।९२	११८.००	*
	–१० गेज		११०।२१	११७।९२	११८.००	*

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

१४०	-१२ गेज	प्रति के.जी.	१११।२८	११९।०७	११८.००	
	ख) मेडियम कोटिङ्ग - ८ गेज		१०७।००	११४।४९	११५.००	
	- १० गेज		१०७।००	११४।४९	११५.००	
	- १२ गेज		१०८।०७	११५।६३	११६.००	
	ग) कमर्सियल लाइट कोट - ८ गेज		१०१।६५	१०८।७७	१०९.००	
	- १० गेज		१०१।६५	१०८।७७	१०९.००	
	- १२ गेज		१०२।७२	१०९।९१	११०.००	
	वाटर सप्लाई/स्यानीटरी					
१४१	ब्रास सोप केस (साबून दानी)	गोटा	३७५।००	३७५।००	३७५.००	
१४२	सि.पी. विवकक धारा १/२" (४०० ग्राम)		७८०।००	७८०।००	७८०.००	
१४३	सि.पी. स्टपकक धारा १/२"		७८०।००	७८०।००	७८०.००	
१४४	कन्सील्ड स्टपकक १/२"		९२०।००	९२०।००	९२०.००	
१४५	ट्वाइलेट पैपर होल्डर		४७०।००	४७०।००	४७०.००	
१४६	टावेल रड - १/२"x१८" को	गोटा	६५०।००	६५०।००	६५०.००	
	▯ १/२"x२४" को		६८०।००	६८०।००	६८०.००	
१४७	११०x११० मी.मी. प्लेन ट्र्याप		६९०।००	६९०।००	६९०.००	
१४८	११०x११० मी.मी. प्लेन प्लेब/मल्टी फ्लोर		४६०।००	४६०।००	४६०.००	
१४९	क)पि भि सी ओभरहेड पानी टंकी –N.S.चिन्ह प्राप्त Heavy	प्रति लिटर	१२।००	१२।००	१२.००	
	ख)पि भि सी ओभरहेड पानी टंकी –N.S.चिन्ह प्राप्त Medium		११।००	१०।००	१०.००	
	ग)Galvanized Steel Tank Heavy		२२।००	२२।००	२२.००	
१५०	सि.पी. फ्लरिड पाइप १¹/४" x२४"	गोटा	६००।००	६००।००	६००.००	
१५१	पि.भी.सी. पाइप कनेक्टर १/२"x१८"		२४०।००	२४०।००	२४०.००	
१५२	कमोड कभर सिट	सेट	१६५०।००	१६५०।००	१६५०.००	
१५३	वास वेसिन बोतल ट्रेप १¹/४"		९४०।००	९४०।००	९४०.००	
१५४	लेवोरेटरी सिङ्क - १८"x१२"x६"	गोटा	१७६०।००	१७६०।००	१७६०.००	
	▯ २१"x१७"x७"		२५३०।००	२५३०।००	२५३०.००	
१५५	किचन सिंक स्टिल - 24"x18"x8"		३०००।००	३०००।००	३०००.००	
	- ३७"x१८"x१०"		३२५०।००	३२५०।००	३२५०.००	
१५६	वेस्ट कप्ली▯ १¹/४		२४०।००	२४०।००	२४०.००	
१५७	रेगुलर कमोड - "P" Trap सेतो common brand		२७००।००	२७००।००	२७००.००	
	- "S" Trap सेतो common brand		२७००।००	२७००।००	२७००.००	
१५८	सिफोनिक कमोड "P" Trap सेतो कैस्केट सेट		१४३००।००	१४३००।००	१४३००.००	
१५९	भारतीय प्यान - १८	सेट	१६५०।००	१६५०।००	१६५०.००	
	▯ २०"		१९००।००	१९००।००	१९००.००	
	▯ २३"		२०००।००	२०००।००	२०००.००	
	उडिसा प्यान - २०"		२०००।००	२०००।००	२०००.००	
	- २३"		२३००।००	२३००।००	२३००.००	
	Local Pan		९५०।००	९५०।००	९५०.००	
१६०	वास वेसिन - १८x१२	सेट	११५५।००	११५५।००	११५५.००	
	- २०"x१६		१३६५।००	१३६५।००	१३६५.००	
	- २२x१६		१७८५।००	१७८५।००	१७८५.००	
१६१	प्यानको लागि (P Trap) सिफन	गोटा	४२०।००	४२०।००	४२०.००	
१६२	सिस्टर्नको लागि लिड		९३०।००	९३०।००	९३०.००	
१६३	सिस्टर्नको लागि सिफल		६००।००	६००।००	६००.००	
१६४	सिस्टर्नको लागि प्लञ्जर प्लेट	गोटा	१७०।००	१७०।००	१७०.००	
१६५	फ्लेट व्याक यूरिनल १८"x१४"x१०५"		१०००।००	१०००।००	१०००.००	
१६६	एङ्गल व्याक यूरिनल १७"x१४¹/२"x१३"		११००।००	११००।००	११००.००	
१६७	स्क्वारिङ प्लेट व्याक यूरिनल २३¹/२"x१३¹/२"		१३००।००	१३००।००	१३००.००	
१६८	१० लिटर लो लेभल (Low Level) सिस्टर्न		३८००।००	३८००।००	३८००.००	
१६९	रेगुलर पेडेप्टन		२२००।००	२२००।००	२२००.००	
१७०	पि.भी.सी. जाली - ३" गोलाकार		३५।००	३५।००	३५.००	
	४" गोलाकार		६०।००	६०।००	६०.००	
			६५।००	६५।००	६५.००	
	६" आयातकार		१२०।००	१२०।००	१२०.००	

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८० को गाउँपालिका दर रेट

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

१७१	फ्लासिङ सिस्टने प्लाष्टिक १० लि.सम्मको फ्लासिङ पाइप लगायत पुरा सेट – साधारण		२८००।००	२८००।००	२८००.००	
	रंगीन		३३००।००	३३००।००	३३००.००	
	छाना छाउने सम्बन्धी					
१७२	जस्ता पाता –२४ गेजको मेडियम कोटेड ०.४mm	वण्डल	१०३००।००	१०३००।००	१०८१५.००	
	– २६ गेजको हेभि कोटेड ०.४१mm		९४५०।००	९४५०।००	९९२२.५०	
	– २६ गेजको लाइट ०.३८mm		७८७५।००	७८७५।००	८२६८.७५	
	– २६ गेजको एक्सटरा लाइट		६३००।००	६३००।००	६६१५.००	
	– २८ गेजको हेभि कोटेड ०.३१mm		६७००।००	६७००।००	७०३५.००	
	– २८ गेजको मेडियम ०.२८mm		६१००।००	६१००।००	६४०५.००	
	– २८ गेजको लाइट ०.२६mm		५८००।००	५८००।००	६०९०.००	
	जस्ता पाता C.G.I Sheet (रंगिन)					
	24 guage heavy (0.52mm)				१३६५२.००	
	24 gauge medium (0.5 mm)				१३२२०.००	
	24 gauge light (0.5 mm)				१२०९०.००	
	26 gauge heavy (0.41 mm)		१०७००।००	१०७००।००	१३०००.००	
	26 gauge light (0.35 mm)				११०००.००	
	28 gauge heavy (0.31 mm)		८५००।००	८५००।००	९२४५.००	
	28 gauge medium (0.28 mm)				८५४५.००	
	28 gauge Light (0.26 mm)				८११५.००	
	30 gauge heavy (0.24 mm)				७६३०.००	
	30 gauge medium (0.22 mm)				७२००.००	
	30 gauge Light (0.20 mm)				६७७०.००	
	32 gauge heavy (0.24 mm)				६३४०.००	
	0.8mm thick plain fiber glass sheet	sqft		११५।००	११५.००	
	0.8mm thick currogated fiber glass sheet	sqft		१२७।००	१२७.००	
१७३	२८ गेज प्लेन सिट पाता साधा	व.मी.	२७०।००	२७०।००	२८३.५०	
१७४	२९ गेज प्लेन सिट पाता रंगीन	व.मी.	२७०।००	२७०।००	३००.००	
१७५	घाउने ढुगा स्लेट	व.मी.	४९०।००	४९०।००	४९०.००	
१७६	खर (१६ मुठा)	भारी	२२०।००	२२०।००	२२०.००	
१७७	बिटुमिन वासर	गोटा	१।००	१।००	१.००	
१७८	जे हुक/एल हुक ८ मी.मी	गोटा	१७।००	१७।००	१७.००	
	झोलूङ्गे पूल सम्बन्धी					
१७९	ब्रिज पार्टस फेब्रिकेसन तथा स्टक्चरल स्टिल					
१८०	रेन्सफोर्स्ड पार्टस					
१८१	ग्याल्भनाइजिङ					
१८२	Thimbles	पिस	५५।००	५५।००	५५.००	
	i) Φ 13 mm thimble	पिस	२४०।००	२४०।००	२४०.००	
	ii) Φ 26 mm thimble		३३०।००	३३०।००	३३०.००	
	iii) Φ 32 mm thimble		८००।००	८००।००	८००.००	
	vi) Φ 36 mm thimble		११५०।००	११५०।००	११५०.००	
	v) Φ 40 mm thimble					
१८३	Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जी.	२५०।००	२५०।००	२५०.००	
१८४	Sign Board with Fittings (Size - 30cm X 60cm)	पिस	६६००।००	६६००।००	६६००.००	
१८५	Galvanization		०।००	०।००	०.००	
	Zinc Above 98.5% purity	के.जी.	२५०।००	२५०।००	२५०.००	
	Premix of Zinc amonium chloride	के.जी.	६००।००	६००।००	६००.००	
	Hydraucloric acid	लिटर	४०।००	४०।००	४०.००	
	झोलूङ्गे पूल सम्बन्धी थप निर्माण सामागीको हकमा डोलिडार को *Website* मा राखिएको दररेट लाई आधार मान्य					
	विविध					
१८६	डोजर लगाई माटो काट्ने – नरम माटो	घ.मी.	८०।००	८०।००	८०.००	
	कडा माटो (Boulder Mixed soil)		९०।००	९०।००	९०.००	
	पानी जमेको स्थानमा		१००।००	१००।००	१००.००	
	नरम चट्टान		२५०।००	२५०।००	२५०.००	

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८० को गाउँपालिका दर रेट

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

	मध्यम छुट्टान	घ.मी.	६००।००	६००।००	६००.००	
	कडा छुट्टान		११००।००	११००।००	११००.००	
	डोजर लगाई पहिरो सफा गर्ने काम		८०।००	८०।००	८०.००	
१८७	धनूबास ढुगेबास छिपिएको ठुलो	गोटा	२७०।००	२७०।००	२७०.००	
१८८	धनूबास ढुगेबास छिपिएको सानो		२२०।००	२२०।००	२२०.००	
१८९	नियालोको भकारी		२७०।००	२७०।००	२७०.००	
१९०	बासको मान्द्रो		२४०।००	२४०।००	२४०.००	
१९१	डोको	गोटा	४००।००	४००।००	२५०.००	
१९२	नाम्लो	गोटा	६५।००	६५।००	१५०.००	
१९३	धुन्से	गोटा	५००।००	५००।००	४००.००	
१९४	स्टाप कटिङ, न्याकेड रुट (टिक, सिसौ, वकाइनो, इपिल, जेटकोफा, आमला, चिराती आदी)	प्रति वोट	१०।००	१०।००	१०.००	
१९५	छ्वाली/पराल (धान, गहू)	प्रति मूठा	२२।००	२२।००	२२.००	
१९६	सिरिस, वकाईनो,कपोक, मसला, ववूल, कागियो,क्यासिया, कल्ली,इपिल,टाँकी, निमारो,वडहर, कोईरालो, कदम,जेटकोफा, निम, खयर, अमला र अन्य 2"x 7" साईजको पोलिथिन ब्यागमा	प्रति वोट	११।००	११।००	११.००	
१९७	निलकाडा, सजिवन, सिउडी आदि द्वारा २५ से.मी. दूरीमा बार लगाउने काम	र.मी.	६८।००	६८।००	६८.००	
१९८	धानको भूस	के.जी.	३।००	३।००	३.००	
१९९	गोबर		२।५०	२।५०	२.५०	
२००	गोबर मल/कम्पोष्ट मल	प्रति डोका	७५।००	७५।००	६०.००	
२०१	पोली ब्याग २०० गेज	के.जी.	३००।००	३००।००	३२०.००	
२०२	सुगन्ध कोकिला, सतिसाल, कपूर, वास, ठूलो अमला, हर्रो, वर्रो,र अन्य वहूउदेश्यीय/ वहुउपयोगी जातका विरुवाहरु	प्रति वोट	१५।००	१५।००	१५.००	
२०३	असोक,धिउकूमारी	प्रति वोट	३०।००	३०।००	३०.००	
२०४	डालेघास,बैंस, दवदवे लगायतका कटिङ (पोल साइज)(ल. १मी x५से.मी. मोटाई)	प्रति कटिङ	१५।००	१५।००	१५.००	
२०५	ट्याक्टरबाट विरुवा लोड/ अनलोड गर्ने काम	प्रति ट्रीप	४००।००	४००।००	४००.००	
२०६	जि.आइ. पाईपद्वारा भऱ्याङ्गको रेलिङ्ग १.५ ईन्च टप ढाडो ब्याक पाईप , १ ईन्च स्क्वायर पाईप ६ ईन्च को दूरीमा	व.फि.	२५०।००	२५०।००	२५०.००	
२०७	बार्बेड वायर – ११X१२X८ मी.मी.	के.जी.	१२०।००	१२०।००	१२०.००	
	(१४X१४X८) मी.मी.		१४०।००	१४०।००	१४०.००	
२०८	का ढेतारको हूक आई वोल्ट	गोटा	११।००	११।००	११.००	
२०९	ढोकाको स्प्रिङ साधारण		२५०।००	२५०।००	२५०.००	
२१०	जि.आई.नट वोल्ट वासर सहित		१५।००	१५।००	१५.००	
२११	होल्ड फास्ट ९" साधारण		१८।००	१८।००	१८.००	
२१२	कब्जा –३"		२५।००	२५।००	२५.००	
	४"		३६।००	३६।००	३६.००	
२१३	छेस्कीनी– ४"		५४।००	५४।००	५४.००	
	६"		७३।००	७३।००	७३.००	
	१२"		१२६।००	१२६।००	१२६.००	
२१४	४" हेण्डल		२८।००	२८।००	२८.००	
२१५	१०" लकिङ्ग सेट		१८०।००	१८०।००	१८०.००	
२१६	मार्टिस लकिङ्ग सेट साधारण		८७०।००	८७०।००	८७०.००	
२१७	टेवल घर्राको लकिङ्ग सेट		९०।००	९०।००	९०.००	
२१८	पर्दाको रेलिङ्ग पाईप – ३/४"	र.फि.	३०।००	३०।००	३०.००	
	१"		३५।००	३५।००	३५.००	
२१९	रेलिङ्ग पाइप ब्राकेट	गोटा	८०।००	८०।००	८०.००	
२२०	ट्रस फेव्रीकेशन ईरेक्सन पाईप समेत सबै किसिमको पाइप	के.जी.	१७५।००	१७५।००	१७५.००	
२२१	टारपोल्ट (१X२० मी.) बाक्लो	वण्डल	१५५०।००	१५५०।००	१५५०.००	
	– पातलो		११३०।००	११३०।००	११३०.००	
२२२	पूटीन कालो	के जी	७७।००	७७।००	७७.००	
२२३	ग्लास पूटीन		८८।००	८८।००	८८.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

२२४	जूट रेसा खस्रो		७७।००	७७।००	७७.००	
२२५	जूट रेसा मसिनो		८५।००	८५।००	८५.००	
२२६	क) रोलिङ्ग सटर (१८ देखी २० गेज)		१८०।००	१८०।००	१८०.००	
	ख) रोलिङ्ग सटर जि.आई	के.जी.	२१०।००	२१०।००	२१०.००	
२२७	क)चेनल गेट/कोलाप्सेबल गेट		१७०।००	१७०।००	१७०.००	
	ख)चेनल गेट/कोलाप्सेबल गेट	व.फि.	४००।००	४००।००	४००.००	
२२८	क)ग्रील ३x२० मी.मी.		१५५।००	१५५।००	१५५.००	
	ख)ग्रील गेट ३x२० मी.मी.	के.जी.	१३५।००	१३५।००	१३५.००	
२२९	रेलिङ्ग १.५x२५ मी.मी. १", जि.आई. पाइप	र.फि.	१६५।००	१६५।००	१६५.००	
२३०	गोलो भऱ्याङ प्रति खुट्किलो		२०००।००	२०००।००	२०००.००	
२३१	सिधा भऱ्याङ प्रति खुट्किलो २ फिट ६ इन्च चौडाई दुवैतर्फ रेलिङ समेत पुरा काम	स्टेप	१७००।००	१७००।००	१७००.००	
२३२	फलामे डेक्स, बेन्च, फिलर बक्स		१७५।००	१७५।००	१७५.००	
२३३	एङ्गल पाइप ट्रस झ्याल ढोका	के.जी.	१५५।००	१५५।००	१५५.००	
२३४	साइनबोर्ड लेखाई एङ्गल फ्रेममा	व.फि.	१०५।००	१०५।००	१०५.००	
२३५	फलामे एङ्गल		१४५।००	१४५।००	१४५.००	
२३६	सिचाई गेट साधारण किसिमको	के.जी.	१८०।००	१८०।००	१८०.००	
२३७	सिचाई गेट स्ट्याण्डर्ड किसिमको		२७०।००	२७०।००	२७०.००	
२३५	३ मी.मी. को सिसा		५०।००	५०।००	५०.००	
	४ मी.मी. को सिसा	व.फि.	६५।००	६५।००	६५.००	
	५ मी.मी. को सिसा		९०।००	९०।००	९०.००	
२३६	२४ गेजको जि.आई. वायर मेस		२००।००	२००।००	२००.००	
२३७	चिकन वायर मेस	व.मी.	७०।००	७०।००	७०.००	
२३८	मस्किटो प्रूफ जाली		१४०।००	१४०।००	१४०.००	
२३९	१० गेजको जि.आइ. तारबाट ५०x५० मी.मी. वर्ग मेस साइज फेन्सि जाली	व.मी.	४५०।००	४५०।००	४५०.००	
२४०	६०x६० मी.मी. १० गेजको वायर मेस		३४५।००	३४५।००	३४५.००	
	Wire Mesh 10 Guage	Kg		१६०।००	१८०.००	
२४१	३२ मी.मी. फल्स बोर्ड (एकातर्फ वाटर प्रूफ टीक)		२००।००	२००।००	२००.००	
२४२	३८ मी.मी. फल्स बोर्ड प्लाई लगाई	व.फि.	२३०।००	२३०।००	२३०.००	
२४३	३२ मी.मी. बोर्ड प्लाई सादा		१५०।००	१५०।००	१५०.००	
	३८ मी.मी. बोर्ड प्लाई सादा		१९०।००	१९०।००	१९०.००	
२४४	१५० मी.मी. रबर सिल र १०० मी.मी. गेट सिल	मिटर	५५०।००	५५०।००	५५०.००	
२४५	कन्स्ट्रक्सन सर्भेको काम (ग्रामीण सडकको लागि)	प्रति कि.मी.	५५००।००	५५००।००	५५००.००	
२४६	Black Pipe 'Medium'- 3/4"φ 1.8MM		१२५।००	१२५।००	१२५.००	
	Black Pipe 'Medium'- 1"φ 1.8MM		१५०।००	१५०।००	१५०.००	
	Black Pipe 'Medium'- $1^1/_2$"φ 1.8MM		२१५।००	२१५।००	२१५.००	
	- 2"φ	मिटर	२९०।००	२९०।००	२९०.००	
	- $2^1/_2$"φ		४०५।००	४०५।००	४०५.००	
	- 3"φ		४९०।००	४९०।००	४९०.००	
	- 4"φ		७५०।००	७५०।००	७५०.००	
२४६ क	बिभिन्न साइजको ब्ल्याक पाईप (Black Pipe Tubular Truss fitting and fixing works)	के. जी.	१५५।००	१४०।००	१५५.००	
	बिभिन्न साइजको ब्ल्याक पाईप (Black Pipe Tubular Truss without fitting and fixing works)	के. जी.		१००।००	१००.००	
	कास्ट आइरन पाइप					
२४७	स्वायल कास्ट आइरन पाइप – D/S २"φ		७८०।००	७८०।००	७८०.००	
	– D/S ३"φ		११३०।००	११३०।००	११३०.००	
	– D/S ४"φ		१३२०।००	१३२०।००	१३२०.००	
	– D/S ६"φ	गोटा	२३५०।००	२३५०।००	२३५०.००	
२४८	रेन वाटर कास्ट आइरन पाइप – S/S २"φ		८९०।००	८९०।००	८९०.००	
	– S/S ३"φ		१२५०।००	१२५०।००	१२५०.००	
	– S/S ४"φ		१३७०।००	१३७०।००	१३७०.००	
	– S/S ६"φ		२७००।००	२७००।००	२७००.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

२४९	**Geotextile सम्बन्धि**				०.००	
	Geotextile M x C 20 grade	प्रति व.मी.	१२०।००	१२०।००	१२०.००	
	Geotextile M x C 30 grade		१४०।००	१४०।००	१४०.००	
२५०	**थोपा सिंचाई सेट**				०.००	
२५१.१	धेरै सानो साइज (१२५ व.मि. भन्दा कम)	सेट	१९४०।००	१९४०।००	१९४०.००	
२५१.२	सानो साइज (१२५ व.मि.)		२६००।००	२६००।००	२६००.००	
२५१.३	मझौला साइज (२५० व.मि.)		४३००।००	४३००।००	४३००.००	
२५१.४	ठूलो साइज (५०० व.मि.)		८२००।००	८२००।००	८२००.००	
२५१.५	मध्यम ठूलो		१६१००।००	१६१००।००	१६१००.००	
२५२	कार्वन फाइवर यू.पि.भि.सि. रुफिङ सिट		०।००	०।००	०.००	
क	पोलीकार्बोनेट सिट(६ मि.मि.थिक)	प्रति व.फि.	१७०।००	१७०।००	१७०.००	
ख	कार्वन फाइवर यू.पि.भि.सि. छाना छाउने ३ मि. मि. बाक्लो	प्रति व.मि.	१२००।००	१२००।००	१२००.००	
ग	कार्वन फाइवर यू.पि.भि.सि. धूरी छाउने ३ मि. मि. बाक्लो	प्रति व.मि.	१३६०।००	१३६०।००	१३६०.००	
घ	जू हूक	गोटा	५।००	५।००	५.००	
ङ	क्लीप		९।००	९।००	९.००	
२५३	***कृषी सम्बन्धी***				०.००	
२५३.१	उन्नतकिट	गोटा	१५०।००	१५०।००	१५०.००	
२५३.२	धानको विउ	के.जी.	७०।००	९०।००	१००.००	
२५३.३	मकैको विउ		८०।००	१००।००	११०.००	
२५३.४	गहुको विउ		७५।००	८५।००	९०.००	
२५३.५	मौरीको घार		३२००।००	३२००।००	३२००.००	
	मौरीको घार टुनीको				४०००.००	
२५३.६	मौरीको गोला घार समेत		८५००।००	८५००।००	८५००.००	
२५३.७	आल्मोनियम महदानी		८०००।००	१००००।००	१००००.००	
२५३.८	स्टिल महदानी		१५०००।००	१५०००।००	१५०००.००	
२५३.९	टोपी		६००।००	६५०।००	६५०.००	
२५३.१०	पन्जा	kg	३००।००	३००।००	३००.००	
२५३.११	आधारचाका		१०००।००	१२००।००	१२००.००	
२५३.१२	आधारचाका निमार्ण डाइ		६०००।००	६०००।००	६०००.००	
२५३.१३	फूट स्प्रेयर		१३५००।००	१४०००।००	१४०००.००	
२५३.१४	क.स्प्रेयर (प्लास्टीक)		३०००।००	३०००।००	३०००.००	
२५३.१५	ख.स्प्रेयर (Electric)		६०००।००	६०००।००	६०००.००	
२५३.१६	च्याउ विउ (कन्ये)	200gm	८०।००	८०।००	८०.००	
२५३.१७	च्याउ विउ (सिताके)	200 gm	२००।००	२५०।००	२५०.००	
२५३.१८	१२० GSM Silpolin Sheet	Sq.m.	८०।००	९०।००	१००.००	
२५३.१९	सून्तला कलमी विरुवा १।५ वर्ष	गोटा	१२५।००	१२५।००	१२५.००	
२५३.२०	कागती कलमी विरुवा १।५ वर्ष	गोटा	८०।००	८०।००	८०.००	
२५३.२१	सून्तला विजू विरुवा १।५ वर्ष	गोटा	४०।००	४०।००	४०.००	
२५३.२२	कागती विजू विरुवा १।५ वर्ष	गोटा	४०।००	४०।००	४०.००	
२५३.२३	एभोकाडो विजू १।५ वर्ष	गोटा	१७५।००	१७५।००	१७५.००	
२५३.२४	एभोकाडो कलमी १।५ वर्ष	गोटा	२५०।००	२५०।००	२५०.००	
२५३.२५	केरा सकर	गोटा	१०।००	२०।००	३०.००	

आ.व.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

२५३.२६	Dragon Fruit Cutting Biruwa(white)	गोटा		१५०।००	१००.००	
२५३.२७	Dragon Fruit Cutting Biruwa(red, yellow)	गोटा		२००।००	१५०.००	
२५४	*भु संरक्षण सम्बन्धी*					
२५४.१	**Grass Seeds**					
१	जई	Kg	८०।००	९०।००	१००.००	
२	भेच	Kg	१६०।००	२००।००	२५०.००	
३	बर्सिम	Kg	१८०।००	१८०।००	३१०.००	
४	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	Kg	०।५०	१।००	१.००	
५	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	Kg	१।००	१।५०	१.५०	
२५४.२	**Vegitation/Shrubs Cuttings/Slip/Plants/etc.**				०.००	
१	रुद्राक्ष,रक्तचन्दन,श्रीखण्ड	गोटा	१००।००	३००।००	३००.००	
२	बोधीचित्त तीन वर्षे	गोटा	५००।००	५००।००	५००.००	
३	अम्रिसो राईजोम	गोटा	६।००	१०।००	१०.००	
४	अलैची गानो	गोटा	११।००	१२।००	१२.००	
५	अलैची बिरुवा	गोटा	९।००	१०।००	१०.००	
६	आँप आम्रपाली/मल्लीका २-३ वर्षे कलमी विरुवा	गोटा	२००।००	२००।००	२००.००	
७	आँप अन्य जात २-३ वर्षे कलमी विरुवा	गोटा	१५५।००	१५५।००	१५५.००	
८	हार्डउड कटिङ्स् (वैस) पेन्सिल साइज	गोटा	६।००	६।००	६.००	
९	Teosinte	Kg	१३०।००	१४०।००	१४०.००	
१०	Joint Vetch	Kg	१००।००	१००।००	१००.००	
११	Supper Nepier	set	३०।००	३०।००	३०.००	
१२	stylo	Kg	१२००।००	१२००।००	१२००.००	
१३	oat	Kg	७०।००	८०।००	८०.००	
१४	राई खनियो	प्र बिरुवा	२७।००	२७।००	२७.००	
१५	बदहर	प्र बिरुवा	१८।००	२५।००	२५.००	
१६	ईपिल	प्र बिरुवा	१०।००	१०।००	१०.००	
१७	वर्षिम	Kg	४००।००	४५०।००	४५०.००	
१८	टाकी	प्र बिरुवा	१५।००	१५।००	१५.००	
१९	कोइरालो	प्र बिरुवा	१५।००	१५।००	१५.००	
२०	vetch	Kg	१३०।००	१३०।००	१३०.००	
	अम्रिसो	प्र. सेट	५।००	५।००	५.००	
२१	नेपियर अयढ	गोटा	३।००	३।००	३.००	
२५४.३	ल्ब हुन्छ घाँस	गोटा	३।००	३।००	३.००	
१	निगालो राईजोम	गोटा	४०।००	४०।००	४०.००	
२	बासको बेर्ना (कटीग राईजोम)	गोटा	३३०।००	३३०।००	३३०.००	
३	बाबियो ताइवानी दुबो	गोटा	३।००	३।००	३.००	
४	सिजनल फुल ८ इन्च पोली	गोटा	२८।००	२८।००	२८.००	
५	गुलाफ फुल ८ इन्च पोली	गोटा	१६५।००	१६५।००	१६५.००	
६	हेज ८ इन्च पोली	गोटा	३५।००	३५।००	३५.००	
२५४.४	कार्पेट दुबो	व.फी.	३५।००	३५।००	३५.००	
१	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	व.फी.	२५।००	२५।००	२५.००	
२	निगालो (जरा सहीत)	गोटा	१२।००	१२।००	१२.००	
३	स्थानीय स्तरमा उत्पादीत बिरवा फलफुल बाहेक	गोटा	१०।००	१०।००	१०.००	
२५४.५	गोठे मल तयारी	डोको	३।००	५०।००	५०.००	

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८० को गाउँपालिका दर रेट

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

२५४६	डाले घासको बिरवा	गोटा	८।००	८।००	८.००	
	मोलाटो बिरवा	गोटा	२।००	२।००	२.००	
२५४७	नरीवल डोरी	के जी	१००।००	१२०।००	१२०.००	
२५४८	नाइलन डोरी	के जी	२००।००	२००।००	२००.००	
२५४९	डाले घास र बिरुवा पोलिथिन	के.जी		२५।००	२५.००	
	मत्स्य भुरा	पिस			८.००	
२५५	***बन सम्बन्धी***				०.००	
क	**काठ संकलन ***				०.००	
१	रुखको नम्वरिङ्ग तथा छपान	प्रति रुख	१४।००	१४।००	१४.००	
२	काठ कटान, मुछान	प्रति क्यू.फि.	२४।००	२४।००	२४.००	
३	रिङ्ग काट्ने काम		५।००	५।००	५.००	
४	बोक्रा झिक्ने काम		६।००	६।००	६.००	
५	गोलिया काठ यार्डिङ्ग ज्यामीबाट				०.००	
	०-५०० मी. सम्म	प्रति क्यू.फि.	२४।००	२४।००	२४.००	
	५००-१००० मी. सम्म		२६।००	२६।००	२६.००	
	१००० मी. भन्दा टाढा		३२।००	३२।००	३२.००	
६	गोलिया काठ लोडिङ्ग		१३।००	१३।००	१३.००	
७	गालिया काठ अनलोडिङ्ग		६।००	६।००	६.००	
८	गोलिया काठ पाइलिङ्ग		८।००	८।००	८.००	
९	गोलिया काठ ढुवानी गाडीबाट				०.००	
	० देखि ५ कि.मी. सम्म	प्रति	४८।००	४८।००	४८.००	
	५ देखि १० कि.मी. सम्म	प्रति क्यू.फि.	५०।००	५०।००	५०.००	
	१० देखि १५ कि.मी. सम्म		५८।००	५८।००	५८.००	
	१५ देखि २० कि.मी. सम्म		६२।००	६२।००	६२.००	
	२० देखि २५ कि.मी. सम्म		६४।००	६४।००	६४.००	
	२५ कि.मी भन्दा टाढा		७०।००	७०।००	७०.००	
ख	**दाउरा संकलन ***				०.००	
१	दाउरा कटान, मुछान (20'X20'x5')	प्रति चट्टा	३०००।००	३०००।००	३०००.००	
२	दाउरा यार्डिङ्ग ज्यामीबाट				०.००	
	०-५०० मी. सम्म	प्रति चट्टा	४२००।००	४२००।००	४२००.००	
	५००-१००० मी. सम्म		४९००।००	४९००।००	४९००.००	
	१००० मी. भन्दा टाढा		५६००।००	५६००।००	५६००.००	
३	दाउरा चट्टा लगाउने (20'X20'x5')		४२००।००	४२००।००	४२००.००	५ ज्यामी बराबर
४	दाउरा लोडिङ्ग		१६००।००	१६००।००	१६००.००	
५	दाउरा अनलोडिङ्ग		५५०।००	५५०।००	५५०.००	
६	दाउरा ढुवानी गाडीबाट				०.००	
	० देखि ५ कि.मी. सम्म	प्रति चट्टा	२८००।००	२८००।००	२८००.००	
	५ देखि १० कि.मी. सम्म		३०००।००	३०००।००	३०००.००	
	१० देखि १५ कि.मी. सम्म		३५००।००	३५००।००	३५००.००	
	१५ देखि २० कि.मी. सम्म		३७००।००	३७००।००	३७००.००	
	२० देखि २५ कि मि		३९००।००	३९००।००	३९००.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

	२५ कि मि भन्दा माथि		४२००।००	४२००।००	४२००.००	*
ग	चिरान काठ *				०.००	*
	चिरान काठ, उत्पादन	प्रति क्यू.फि.	६७।००	६७।००	६७.००	*
	चिरान अनसाईज काठ उत्पादन		८५।००	८५।००	८५.००	*
	चिरान लोडिङ्ग		८।००	८।००	८.००	*
	चिरान अनलोडिङ्ग		४.२।००	४.२।००	४ .२।००	*
	बाकल लोडिङ्ग		८.५।००	८.५।००	८.५।००	*
	बाकल अनलोडिङ्ग		४.५।००	४.५।००	४.५।००	*
	चिरान काठ पाइलिङ्ग		४.२।००	४.२।००	४.२।००	*
	१०० मी. टाढाबाट मिलसम्म काठ बोक्ने काम		४.२।००	४.२।००	४.२।००	*
	मिलमा गोलिया काठ सिपमेन्ट लोडिङ्ग		१३.५।००	१३.५।००	१३.५।००	*
	मिलमा गोलिया काठ सिपमेन्ट अनलोडिङ्ग		६.८।००	६.८।००	६.८।००	*
२५६	**तयारी आर.सि.सि.झ्याल,ढोका,भेन्टीलेसन,आर्क**					
२५६.१	Ready made RCC Door and window frame of section 4"X2.75" with concrete mix design of 1:1:1 proportation and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०।००	२२०।००	२२०.००	
२५६.२	Ready made RCC ventilation frame of section 4"X2.75" with concrete mix design of 1:1:1 proportation and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फि.	२२०।००	२२०।००	२२०.००	
२५६.३	Ready made RCC Door and window arc frame (Semi-circular) frame of section 4"X2.75" with concrete mix design of 1:1:1 proportation and 2 Nos 7m dia.rebar including arrangement of	र.फि.	४४०।००	४४०।००	४४०.००	
२५७	**Machine made and mechanically selvedged double twisted hexagonal mesh products(Maccaferri & equivalent product) Wire Mesh Netting**					
	6*8/2.2/2.7/ZN	sqm	२६१।००	२६१।००	२६१.००	
	10*12/2.7/3.4/ZN	sqm	२५१।००	२५१।००	२५१.००	
	10*12/3.0/3.9/ZN	sqm	२८५।००	२८५।००	२८५.००	
	6*8/2.2/2.7/PVC	sqm	४१८।००	४१८।००	४१८.००	
	10*12/2.7/3.4/PVC	sqm	३०८।००	३०८।००	३०८.००	
	Note:-ZN=Heavy Galvanized,PVC=PVC Coated					
	Note:-10*12/3.0/3.9/2.4/ZN=Mesh Type/Mesh wire Dia./Selvedge Wire Dia./Lacing Wire Dia./Type of Coating					
२५८	**एलुमिनियम फ्रेम**					
१	Sliding window fitted with 5mm clear glass without net. Size: 4' x 5'	Sq.ft.	६१०।००	६१०।००	६१०.००	
२	Sliding window fitted with 5mm clear glass without net. Size: 5' x 4'	Sq.ft.	६४०।००	६४०।००	६४०.००	
३	Sliding window fitted with 5mm clear glass without net. Size: 9' x 5'	Sq.ft.	६३०।००	६३०।००	६३०.००	
४	Sliding window fitted with 5mm clear glass without net. Size: 7' x 5'	Sq.ft.	६००।००	६००।००	६००.००	
५	Sliding with ventillation at top and bottom w/o net. Size: 6' x 7'	Sq.ft.	५१०।००	५१०।००	५१०.००	
६	Fix window and hinged door fitted with 5mm glass.	Sq.ft.	७००।००	७००।००	७००.००	
७	Fix window fitted with 5mm glass. Size: 6' x 3'	Sq.ft.	५००।००	५००।००	५००.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा बाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

८	Glass door fitted with 12mm glass GD	Sq.ft.	१४००।००	१४००।००	१४००.००	
९	Glazed window (Curtain Wall) with 5mm reflective glass	Sq.ft.	९५०।००	९५०।००	९५०.००	
१०	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*56*1.2mm) fitted with 5mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	५३०।००	५३०।००	५३०.००	
१२	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*56*1.5mm) fitted with 5mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	६०५।००	६०५।००	६०५.००	
१३	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*65*1.2mm) fitted with 5mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	५७५।००	५७५।००	५७५.००	
१४	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*65*1.5mm) fitted with 5mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	६६०।००	६६०।००	६६०.००	
१५	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*25+12*1.2mm) fitted with 5mm clear glass without fly mesh shutter. (average area 5 sq. feet per panel)	Sq.ft.	४३०।००	४३०।००	४३०.००	
१६	Providing and fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/powder coated color, section size (87*25+12*1.5mm) fitted with 5mm clear glass without fly mesh shutter. (average area 5 sq.feet per panel)	Sq.ft.	४९५।००	४९५।००	४९५.००	
१७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८९।००	१९०।००	१९०.००	
१८	Stainless steel railing on varandah and staircase. Size: 2" x 1" x 1" x 1"	Sq.ft.	१७५०।००	१,७५०।००	१७५०.००	
१९	stainless steel railing work: २ इन्च पाईपको ठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च ब्यासको तिन तह तेर्सो पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से. मि)	र. फि	१,२००।००	१,२००।००	१२००.००	
२०	stainless steel railing work: २ इन्च पाईपको ठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च ब्यासको दुइ तह तेर्सो पाईप राखी तयार गरि जडान गर्ने काम	र. फि	१,०५०।००	१,२००।००	१०५०.००	
२१	stainless steel railing work: १.५ इन्च पाईपको ठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च ब्यासको तिन तह तेर्सो पाईप राखी तयार गरि जडान गर्ने काम	र. फि.	९५०।००	१,२००।००	९५०.००	
२२	Aluminium Partition with 5mm thick glass and 9mm thick laminated board of section (101x45x1.1)	sq. ft			४२०.००	
२३	Aluminium Partition with 5mm thick glass and 9mm thick laminated board of section (64x38x1.1)	Sq.ft.			४२०.००	
२४	UPVC Sliding Windows Frame (80/50mm) sliding window sash (38/62 mm) with net all complete inside 1.5mm galvanized reinforcement , 5mm clear glass (whte color) including the cost of materails and labor and fixing and fitting all complete	Sq.ft.		५८५।००	५८५.००	
२५	UPVC door Frame (80/50mm) door frame 112/42 mm door sash (80*200 mm pannel) inside 1.5mm galvanized reinforcement, 5mm clear glass (whte color) including the cost of materails and labor and fixing and fitting all complete	Sq.ft.		६७५।००	६७५.००	
२६	UPVC Casement Windows60*72mm sash inside 1.5mm galvanized reinforcement , 5mm clear glass (whte color) including the cost of materails and labor and fixing and fitting all complete	Sq.ft.		६०८।००	६०८.००	
२७	Stainless steel pipe (2 inch)	र. फि.		१४०।००	१४०.००	
२८	Stainless steel pipe (1.5 inch)	र. फि.		११०।००	११०.००	
२९	Stainless steel pipe (1 inch)	र. फि.		८०।००	८०.००	

249.Rate of Supply Tools

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हूने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

S.N.	Details	Unit	Rate 2076/2077	Rate 2077/2078	Rate २०७९/८०	
1	Slade Hammer					
	3kg	No	६८०।००	६८०।००	६८०.००	
	5 kg	No	१०२५।००	१,०२५।००	१,०२५.००	
	8 kg	No	१५९५।००	१,५९५।००	१,५९५.००	
2	Stone cutting hammer 1.2kg	No	५७०।००	५७०।००	५७०.००	
3	Spade 0 5 kg	No	५७०।००	५७०।००	५७०.००	
4	Pickaxe	No	५७०।००	५७०।००	५७०.००	
5	Crowbar				-	
i	1.2m	No	१३६५।००	१,३६५।००	१,३६५.००	
ii	1.5m	No	२०५०।००	२,०५०।००	२,०५०.००	
6	Chisel		०।००	(	-	
	8"	No	४००।००	४००।००	४००.००	
	12"	No	६२५।००	६२५।००	६२५.००	
7	Wheel Barrow	No	९११०।००	९,११०।००	९,११०.००	
8	Stone cutting hummer 1.2kg	No	४००।००	४००।००	४००.००	
9	आसी हँसिया ०.५ के.जी.	No	८५५।००	८५५।००	८५५.००	
10	कराई	No	४००।००	४००।००	४००.००	
11	Shovel	No	६८५।००	६८५।००	६८५.००	
12	Corney	No	५७०।००	५७०।००	५७०.००	

250.Protective and Safety Equipment

S.N.	Description	Unit	Rate 2076/2077	Rate 2077/2078	Rate २०७९/८०	
1	Googgles	No	३३०।००	३३०।००	३३०.००	
2	Mask	No	३०।००	३०।००	३०.००	
3	Gloves	No	२००।००	२००।००	२००.००	
4	Protective Gumboot	No	७००।००	७००।००	७००.००	
5	Helmet	No	२००।००	२००।००	२००.००	
6	Protective work wear(Jacket)	No	२००।००	२००।००	२००.००	
7	Protective shinging and work mean jacket	No	३००।००	३००।००	३००.००	
8	Cap	No	२००।००	२००।००	२००.००	
9	1m. Length flag	No	८५।००	८५।००	८५.००	
10	Bag (Standard)	No	८२५।००	८२५।००	८२५.००	
11	Sfety Belt	No	२०००।००	२,०००।००	२,०००.००	
12	Fullbody harness	No	६०५०।००	६,०५०।००	६,०५०.००	
13	Half Harness	No	४४००।००	४,४००।००	४,४००.००	
14	Raincoat	No	१६५०।००	१,६५०।००	१,६५०.००	

251.Ready made Door

S.N.	Description	Unit	Rate 2077/2078	Rate 2078/2079	Rate २०७९/८०	
1	Ready made door					
a)	Ready made core door shutter one side teak other side GI plain sheet 26 guage water proof	Sq ft	२७०।००	२७०।००	२७०.००	
b)	Ready made core door shutter one side teak other side formica water proof	Sq ft	३००।००	३००।००	३००.००	

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनुसार दररेट सिफारिस गर्ने निर्णय गरियो ।

c)	Ready made core door shutter one side teak other side /water proof	Sq ft	२९५।००	२९५।००	२९५.००	
d)	Ready made board door pannel (plain)	Sq ft	३५०।००	३५०।००	३५०.००	
	Ready made door shutter (Heavy)	Sq ft	५००।००	५००।००	५००.००	
	252.Paving stone					
S.N.	**Description**	**Unit**	**Rate 2077/2078**	**Rate 2078/2079**	**Rate २०७९/८०**	
a)	1" thick good quality	Sq ft	९५।००	९५।००	९५.००	
b)	1.5" thick good quality	Sq ft	११०।००	११०।००	११०.००	
c)	2" thick good quality	Sq ft	१३०।००	१३०।००	१३०.००	
d)	Clading stone with wall surface in (1:3) c/s mortar	Sq ft	२०५।००	२०५।००	२०५.००	
e)	Roofing Stone	Sq m	५०५।००	५०५।००	५०५.००	
f)	Slate	Sq m	४५०।००	४५०।००	४५०.००	
g)	Decorating 10'x 4'	pcs	२७।००	२७।००	२७.००	
h)	Hesagonal Interlock Paver with compressive strength M35 or above 226x200x60mm	pcs	६५।००	६५।००	६५.००	
i)	Hesagonal Interlock Paver with compressive strength M35 or above 226x200x80mm	pcs	४५।००	४५।००	४५.००	
j)	Hexagonal Interlock Paver with compressive strength M35 or above 200x100x60mm	pcs	३५।००	३५।००	३५.००	
	253.Material Testing in Civil Laboratory					
S.N.	**Description**	**Unit**	**Rate 2077/2078**	**Rate 2078/2079**	**Rate २०७९/८०**	
	SOIL & AGGREGATE					
1	Aggergate Crushing Value Test (ACV)	Per Test	४१३।०	४१३।००	४१३.००	
2	Aggregate Impact Value Test (AIV)	Per Test	३०९।०	३०९।००	३०९.००	
3	California Bearing Ratio (CBR) Soaked	Per Test	१९३५।०	१,९३५।००	१,९३५.००	
4	California Bearing Ratio (CBR)Unsoaked	Per Test	१६९७।०	१,६९७।००	१,६९७.००	
5	Deflection Test by Benklemen's Beam Test	Per Test	७०४।०	७०४।००	७०४.००	
6	Flakiness Index (F.I.)	Per Test	४५९।०	४५९।००	४५९.००	
7	Field Density Test	Per Test	६२९।०	६२९।००	६२९.००	
8	Liquid Limmit & Plasticity Index (LL& PI)	Per Test	५१९।०	५१९।००	५१९.००	
9	Los Angeles Abrasion Test (LAA)	Per Test	५९४।०	५९४।००	५९४.००	
10	Measurement of pavement Thickness	Per Test	४९६।०	४९६।००	४९६.००	
11	Organic Impurities of Fine Aggregate	Per Test	४६४।०	४६४।००	४६४.००	
12	Proctor Compaction Test (Modified)	Per Test	१७३०।०	१,७३०।००	१,७३०.००	
13	Rapid determination of CBR By DCP	Per Test	२९९।०	२९९।००	२९९.००	
14	Specific Gravity of Coarse aggregate	Per Test	५५२।०	५५२।००	५५२.००	
15	Specific Gravity of Fine aggregate	Per Test	३९९।०	३९९।००	३९९.००	
16	Sieve Analysis	Per Test	८२९।०	८२९।००	८२९.००	
17	Sodium Sulphate Soundness Test (5 Cycle)	Per Test	२५१८।०	२,५१८।००	२,५१८.००	
18	Sand Equivalent	Per Test	९६६।०	९६६।००	९६६.००	
19	Sampling From Surface, Bas, Sub- Base & Sub Grade	Per Test	५१०।०	५१०।००	५१०.००	
B	**CEMENT & CONCRETE**				-	
1	Compresive Strength Of Concrete Cube	Per Test	१३०।०	१३०।००	१३०.००	
2	Making Mortar Cubes (50mm*50mm*50mm)	Per Test	३३२।०	३३२।००	३३२.००	
3	Making Mortar Cubes (70.7mm*70.7mm*70.7mm)	Per Test	३७०।०	३७०।००	३७०.००	

कालिगण्डकी गाउँपालिकाको आ.ब.२०७९/८० को गाउँपालिका दर रेट

आ.ब.०७८/०७९ को लागि कालिगण्डकी गाउपालिका भित्र सहज रुपले उपलब्ध हुने स्थानीय निर्माण सामग्रीहरुको प्रचलित स्थानिय दररेट तथा वाहिरबाट ल्याउनु पर्ने वा ल्याइएको सामानको कालिगण्डकी गाउ बजार गाउपालिका स्थित बजार मुल्यको आधारमा देहायका सामाग्रीहरुको देहाय अनूसार दररेट सिफारिस गर्ने निर्णय गरियो ।

4	Making Mortar Cubes (15cm*15cm*15cm)	Per Test	२७७।०	२७७।००	२७७.००	
5	Normal Consistancy of Cement	Per Test	४५०।०	४५०।००	४५०.००	
6	Slump Test of Concrete mix	Per Test	१३३।०	१३३।००	१३३.००	
7	Setting Time of Cement	Per Test	६७३।०	६७३।००	६७३.००	
C	BITUMEN				-	
1	Determination of Bitumen Content (2 kg big bowl)	Per Test	४०७३।०	४,०७३।००	४,०७३.००	
2	Determination of Bitumen Content (1kg Small bowl)	Per Test	३०८०।०	३,०८०।००	३,०८०.००	
3	Ductility Test	Per Test	५५८।०	५५८।००	५५८.००	
4	Engler Viscosity Of Emulsion	Per Test	१०३०।०	१,०३०।००	१,०३०.००	
5	Flash & Fire Point	Per Test	३०१।०	३०१।००	३०१.००	
6	Viscosity	Per Test	१४८२।०	१,४८२।००	१,४८२.००	
7	Los on Heating of Asphalt	Per Test	४८९।०	४८९।००	४८९.००	
8	Penetration Test	Per Test	४२६।०	४२६।००	४२६.००	
9	Penetration of Resiude	Per Test	४२६।०	४२६।००	४२६.००	
10	Resistance to Plastic Flow of Bitumen (Marshall Design)	Per Test	१३३१।०	१,३३१।००	१,३३१.००	
11	Specific Gravity	Per Test	६००।०	६००।००	६००.००	
12	Solubility Test	Per Test	६७१।०	६७१।००	६७१.००	
13	Softening Test	Per Test	५२३।०	५२३।००	५२३.००	
14	Stripping Test	Per Test	६५१।०	६५१।००	६५१.००	
15	Water Content	Per Test	४७५।०	४७५।००	४७५.००	
16	Residue on Sievning of emulsion	Per Test	७४१।०	७४१।००	७४१.००	
17	Binder Content of Emulsion	Per Test	५६१।०	५६१।००	५६१.००	
D	G.I. WIRE				-	
1	Adhension Test of GI Wire	Per Test	७१।०	७१।००	७१.००	
2	Determination of Tensile Strength of GI Wire	Per Test	२७९।०	२७९।००	२७९.००	
3	Determination of Zinc Coating of G.I. Wire	Per Test	३६८।०	३६८।००	३६८.००	
4	Uniformity of Zinc Coating Of G.I. Wire	Per Test	२९९।०	२९९।००	२९९.००	

*Note: Unskilled manpower, sample materials & Chemicals Should Be Provided to the lab by client themselves.

Estimated price of unskilled and chemicals are provided as above

S.N.	Sandwitch/EPS Non Burn Panel Description	Unit	Rate 2077/2078	Rate 2078/79	Rate 2079/80	
1	Ivory Color Flat wall Panel(0.4*1040)-50mm	Sq.ft.	२२०।००	२२०।००	२२०.००	
	Ivory Color Flat wall Panel(0.4*1040)-75mm	Sq.ft.	२५०।००	२५०।००	२५०.००	
	Ivory Color Flat wall Panel(0.4*1040)-100mm	Sq.ft.	२९०।००	२९०।००	२९०.००	
2	Gray Color RP wall Panel (0.4*1105)-50mm	Sq.ft.	२४०।००	२४०।००	२४०.००	
	Gray Color RP wall Panel (0.4*1105)-75mm	Sq.ft.	२७५।००	२७५।००	२७५.००	
	Gray Color RP wall Panel(0.4*1105)-100mm	Sq.ft.	३१५।००	३१५।००	३१५.००	
3	Wooden color sliding wall panel(0.4*1219)-75mm	Sq.ft.	३००।००	३००।००	३००.००	
	Wooden color sliding wall panel(0.4*1219)-100mm	Sq.ft.	३४०।००	३४०।००	३४०.००	
4	Black Color zing wall and roof panel (0.4*1219)-50mm	Sq.ft.	२९०।००	२९०।००	२९०.००	
	Black Color zing wall and roof panel (0.4*1219)-75mm	Sq.ft.	३२५।००	३२५।००	३२५.००	
	Black Color Zing wall and roof panel (0.4*1219)-100mm	Sq.ft.	३६०।००	३६०।००	३६०.००	
5	Roof blue and orange color (0.4*1219)-50mm	Sq.ft.	२५५।००	२५५।००	२५५.००	
	Roof blue and orange color (0.4*1219)-75mm	Sq.ft.	२९०।००	२९०।००	२९०.००	
	Roof blue and orange color (0.4*1219)-100mm	Sq.ft.	३२५।००	३२५।००	३२५.००	
6	Steel door (900*2100) 80 T	Sq.ft.	१५,२७५।००	१५,२७५।००	१५,२७५.००	
	Steel door (1000*2100) 80 T	Sq.ft.	१६,१६०।००	१६,१६०।००	१६,१६०.००	
7	ABS door (900*2100) 80 T	Sq.ft.	१३,५००।००	१३,५००।००	१३,५००.००	
8	Panel Door (900*2100) 80T	Sq.ft.	११,७३५।००	११,७३५।००	११,७३५.००	
9	window(115mm)	Sq.ft.	७७०।००	७७०।००	७७०.००	

254 RCC HUME PIPE

Np3 class Heavy Duty				Np2 class Light Duty		
Inch	Dia in cm.	Rs. Per mtr.	2.50m	Dia in cm.	Rs. Per mtr.	2.5m
6	15	1359.44	3398.59	15	605.00	1512.50
8	20	1804.11	4510.28	20	786.50	1966.25
10	25	2261.49	5653.73	22.5	907.50	2268.75
12	30	3265.17	8162.94	25	968.00	2420.00
14	35	3735.27	9338.18	30	1306.80	3267.00
16	40	4167.24	10418.10	37.5	1597.20	3993.00
18	45	4675.81	11689.54	40	1839.20	4598.00
20	50	5209.05	13022.63	45	1936.00	4840.00
24	60	6441.44	16103.59	50	2081.20	5203.00
28	70	7775.46	19438.65	60	2879.80	7199.50
30	75	88004.40	220011.00	70	3751.00	9377.50
32	80	9744.74	24361.84	75	4053.50	10133.75
36	90	11688.60	29221.50	80	4525.40	11313.50
40	100	12539.84	31349.59	90	5711.20	14278.00
48	120	15347.64	38369.10	100	6473.50	16183.75
60	150	24139.50	60348.75	120	7768.20	19420.50
				150	18271.00	45677.50

Ex- Factory Rate

Transportation charge

S.N .	Distance		Remarks
a)	10km to 50 km	10% of pipe cost	From Factory
b)	51 km to 100 km	20% of pipe cost	
c)	Above 100km	25% of pipe cost	

255 GI Pipes

S.No.	Size in inch	Light class (Rate Rs./Rm.)	Medium Class rate Rs/RM	Heavy class (Rate Rs./Rm.)	Remarks
1	0.50	161.00	192.00	227.00	. VAT is not included.
2	0.75	222.00	244.00	286.00	
3	1.00	312.00	373.00	434.00	
4	1.25	400.00	485.00	556.00	
5	1.50	499.00	560.00	641.00	
6	2.00	631.00	770.00	943.00	
7	2.50	876.00	984.00	1179.00	
8	3.00	1029.00	1225.00	1389.00	
9	4.00	1484.00	1837.00	2106.00	
10	5.00	2273.75	2408.00	2718.00	
11	6.00	2700.51	2914.08	3073.41	

256 HDPE Pipes

Rate per kg RS 273

S.N.	Size in mm	Size in inches	Pressure (2.5kgf/cm^2)		Pressure (4kgf/cm^2)		Pressure (6kgf/cm^2)		Pressure (10kgf/cm^2)	
			Avg.wt.kg/ mtr	Per mtr Rs.	Avg.wt.kg/ mtr	Per mtr Rs.	Avg.wt.kg/ mtr	Per mtr Rs.	Avg.wt.kg/ mtr	Per mtr Rs.
1	16mm		*	*	*	*	*	*	0.092	25.12
2	20mm	1/2"	*	*	*	*	*	*	0.134	36.58
3	25 mm	3/4"	*	*	*	*	*	*	0.202	55.15
4	32mm	1"	*	*	*	*	0.226	61.70	0.334	91.18
5	40mm	1¼"	*	*	0.251	18.32	0.350	95.55	0.514	140.32
6	50mm	1½"	*	*	0.378	27.59	0.542	147.97	0.796	217.31
7	63mm	2"	0.403	110.02	0.585	42.71	0.850	232.05	1.269	346.44
8	75mm	2½"	0.557	152.06	0.846	61.76	1.191	325.14	1.782	486.49
9	90mm	3"	0.799	218.13	1.220	89.06	1.717	468.74	2.568	701.06
10	110mm	4"	1.185	323.51	1.703	124.32	2.545	694.79	3.801	1037.67
11	125mm	4½"	1.530	417.69	2.289	167.10	3.293	898.99	4.962	1354.63
12	140mm	5"	1.897	517.88	2.901	211.77	4.150	1132.95	6.209	1695.06
13	160mm	6"	2.453	669.67	3.773	275.43	5.355	1461.92	8.079	2205.57

Rate is Rs. 273.00 per Kg. without VAT

HDPE DOUBLE WALL CORRUGATED PIPES (DWC)(SN-8)

S.N.	Size in mm	Unit	Rate	Remarks
1	100 mm dia	Meter	500	Without transportation
2	150 mm dia	Meter	1000	
3	200 mm dia	Meter	1500	
4	250 mm dia	Meter	1900	
5	300 mm dia	Meter	3160	
6	400 mm dia	Meter	4070	
7	500 mm dia	Meter	4860	
8	600 mm dia	Meter	8370	
9	800 mm dia	Meter	13875	
10	1000 mm dia	Meter	20900	

257 uPVC Pipes

S.N.	OD in mm	Size in inches	Class-C Price /mtr.	Class-D Price /mtr.	Class-E Price /mtr.	Schedule-40 Price / mtr	Schedule-80 Price / mtr	Schedule-120 Price / mtr
1	21 mm	1/2"	-	-	70	107	118	-
2	26 mm	3/4"	-	-	105	143	161	-
3	33 mm	1"	-	-	144	206	234	-
4	42 mm	1¼"	-	185	217	279	328	369
5	48 mm	1½"	-	215	260	331	401	443
6	60 mm	2"	298	363	432	440	540	627
7	89 mm	3"	602	767	927	-	-	-
8	114 mm	4"	887	1265	1552	-	-	-
9	140 mm	5"	1459	1894	2273	-	-	-
10	168 mm	6"	2086	2712	3269	-	-	-
11	219 mm	8"	3201	4164	5000	-	-	-

३८१ HDPE पाईपको दर रेट

SN	Size in mm		Avg wt. (kg) of PN6	Avg wt.(kg) of PN 10	Avg wt.(kg) of PN 12.5	Avg wt.(kg) of PN 16
	Min	Max				
1	20	30.3				0.135
2	25	25.3			0.173	0.208
3	32	32.3		0.234	0.274	0.338
4	40	40.4		0.36	0.434	0.523
5	50	50.5	0.365	0.555	0.673	0.808
6	63	63.6	0.568	0.882	1.047	1.27
7	75	75.7	0.816	1.248	1.481	1.8
8	90	90.9	1.148	1.787	2.144	2.591
9	110	111	1.688	2.643	3.177	3.84
10	125	126.2	2.187	3.405	4.089	4.962
11	140	141.3	2.75	4.261	5.132	6.209
12	160	161.5	3.579	5.559	6.695	8.134
13	180	181.7	4.518	7.054	8.466	10.256
14	200	2018.8	5.564	8.689	10.441	12.667
15	225	227	7.065	10.975	13.217	16.014
16	250	252.3	8.678	13.52	16.263	19.758
17	280	282.6	10.885	16.936	20.393	24.773
18	315	317.9	13.781	21.459	25.818	31.307

Rate is Rs. 273.00 per kg without VAT

कालिगण्डकी गाउँपालिकाको आ.ब. २०७९/८० को दर रेट

258. PPR 3 LAYER PIPES AND FITTINGS

S. No.	Description of Goods	Unit	Size											
			1/2"		3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"		
			16mm	20 mm	25 mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm		
1	Pipe (PN 10/S-5.0)-3 Layer	Rm		39.33	59.67	95.33	150.33	233.33	369.00	514.67	741.33	1099.33		
2	Pipe (PN 16/S-3.2)-3 Layer	Rm		52.67	82.00	131.00	210.00	327.33	514.67	734.00	1048.33	1570.33		
3	Pipe (PN 20/S-2.5)-3 Layer	Rm		62.67	97.33	158.33	245.00	380.00	602.67	854.67	1227.33	1829.67		
4	PLASTIC BALL VALVE	No.		209	286	495	1056	1529	2585					
5	BRASS BALL VALVE	No.		759	935	1272	2101							
6	STOP VALVE	No.		774	1020	1231	1320	2200	3306					
7	PIPE CLIP	No.		14	17	32	44	68	89					
8	HIGH FOOTED PIPE CLIP	No.		28	33	50	55	61	83					
9	Y" TYPE PIPE CLIP	No.		44	52	63	96	136	193					
10	SHORT PASS OVER	No.		168	242	376								
11	LONG BYPASS	No.		193	319	468								
12	CONCEALED VALVE (NOR)	No.		2079										
13	CONCEALED VALVE (LUX)	No.		2468										
14	ELBOW 90	No.		25	50	85	178	300	528	990	1672	3114		
15	ELBOW 45	No.		34	56	87	162	271	448	880	1485	2596		
16	SOCKET	No.		20	25	50	97	162	284	550	813	1485		
17	TEE	No.		34	61	106	205	348	634	1100	2014	3499		
18	CROSS TEE	No.		59	87	150								
19	END PLUG	No.		14	23	30								
20	END PLUG WITH RING	No.		50										
21	END CAP	No.		29	44	67	99	176	336	539	-	-		
22	UNION (Plastic)	No.		131	224	361	547	858	1025					
23	SHOT PLUG	No.		9	11	15								
24	LONG END PLUG	No.		22										
25	TANK NIPPLE	No.		61	97	111								

कालिगण्डकी गाउँपालिकाको आ.ब. २०७९/८० को दर रेट

	DESCRIPTION OF GOODS			20mm*1/2	20mm*3/4	25mm*1/2	25mm*3/4	32mm*1/2	32mm*3/4	32mm*1"	40mm*1-1/4	50mm*1-1/2	63*2"	75*2-1/2"
21	FEMALE THREADED COUPLING	No.		241	286	318	323	274	293	690	1194	1548	2171	2896
24	MALE THREADED COUPLING	No.		297	314	361	417	376	402	806	1361	2052	2709	6732
25	FEMALE UNION	No.		647	-	-	839	-	-	1355	1870	3196	5830	-
26	MALE UNION	No.		671	-	-	964	-	-	1417	2552	3410	8800	
27	METAL BALL VALVE DOUBLE	No.		1430	-	-	2096	-	-	2585	7365	10120		
28	METAL BALL VALVE SINGLE	No.		1320	-	-	2112	-	-	2915				
29	FEMALE ELBOW	No.		251	-	410	336	448	528	740				
30	MALE ELBOW	No.		306	-	336	413	693	550	913				
31	FEMALE TEE	No.		259	-	337	391	384	451	759				
32	MALE TEE	No.		318	-	336	402	485	504	877				
33	REDUCTION COUPLER			25-20	32-20	32-25	40-20	40-25	40-32	50-20	50-25	50-32	50-40	110-90
		No.		35	46	52	75	79	105	142	136	154	163	2057
			63-20	63-25	63-32	63-40	63-50	75-40	75-50	75-63	90-50	90-63	90-75	110-75
		No.	222	274	275	276	277	550	561	567	1045	1122	1320	1848
34	REDUCTION TEE			25-20-25	32-20-32	32-25-32	40-20-40	40-25-40	40-32-40	50-25-50	50-32-50	50-40-50	50-20-50	
		No.		65	90	106	141	160	171	297	319	330	290	
				63-25-63	63-32-63	63-40-63	63-50-63	63-20-63	75-50-75	75-63-75	90-63-90	90-75-90	110-75-11	110-90-110
		No.		479	495	506	523	431	1265	1271	2090	2310	3740	3850
35	REDUCING ELBOW			25-20	32-20	32-25	40-32	50-40						
				50	90	112	116	129						
36	WELDING KIT	No.		3380		4056								

Note: VAT is included in the above rates (ex factory rate)

कालिगण्डकी गाउँपालिकाको आ.ब. २०७९ /८०को दर रेट

259. Rate of GI pipe fitting, Brass Fitting and Tools

(ISI, NS, ISO BRAND)

Name of Fittings	Unit	Size												
		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"
		15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm				
Elbow	no.	63	119	186	275	388	582	1010	1570	2705	5742	6910		
Tee	no.	101	163	237	372	514	841	1320	1786	3243	7996	8918		
Union	no.	213	304	446	602	745	1108	2268	3054	4023	7696	9311		
Socket	no.	59	93	127	193	260	383	695	1025	1774	3799	5107		
R-Socket	no.	-	104	130	212	283	423	756	1087	1945	4768	5606		
R-Tee	no.	-	179	261	407	566	924	1455	1966	3592	8473	9810		
R-Elbow	no.	-	132	204	305	429	642	1107	1707	3021	-	-		
C.I Plug	no.	29	43	52	98	121	145	213	436	847	-	-		
G.I Nipple 2"	no.	36.4	45.9	69.8	89.4	103.4	151.4	167	197	285	335	432		
G.I. Nipple 4"	no.	72.7	91.8	139.6	178.7	206.7	302.7	315	394	590	765	826		
G.I.Nipple 6"	no.	109.1	137.7	209.4	268	310	454	437	591	885	1154	1387		
Brass union	no.	363	540	810	1193	1608	2248	-	-	-	-	-		
GM Gate Valve NS	no.	763	1068	1630	2452	3334	5140	10702	16222	23339	-	-		
GM Glove Valve NS	no.	694	1181	1647	3331	4229	5892	12278	16602	29052	-	-		
CI+GI Flang set	no.	495	621	844	1044	1269	1474	1897	2187	2982	7415	7972		
GI+HDP Flang set	no.	553	720	864	1092	1317	1955	2107	2396	3461	7691	8968		
HDP+HDP Flangh set	no.	619	814	967	1172	1464	2239	2539	2867	3693	7861	9390		
GI bend	no.	136	213	326	630	954	1400	3600	5592	7910	8970	9965		

कालिगण्डकी गाउँपालिकाको आ.ब. २०७९ /८०को दर रेट

259. Rate of GI pipe fitting, Brass Fitting and Tools

(ISI, NS, ISO BRAND)

Name of Fittings	Unit	Size												
		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"
		15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm				
Flow regulating valb	no.	957	-	-	-	-	-	-	-	-	-	-		
Regulating key	no.	295	-	-	-	-	-	-	-	-	-	-		
Float value	no.	825	965	1975	2330	3925	5240	-	-	-	-	-		
Float Valve (BPT Type)	no.	2262	2747	3636	7756	10398	16070	-	-	-	-	-		
Check Valve HOR	no.	407	624	1405	2380	3525	5263	9114	12545	16270	-	-		
Ferrule cock	no.	695	1240	2140	3650	4860	5680	7040	-	-	-	-		
Brass bib cock	no.	624	-	-	-	-		-	-	-	-	-		
Ferrule Shaddle (Brass)	no.	-	-	-	-	-	903	1609	1722	1780	-	-		
Sulace valve	no.	-	-	-	-	6000	8000	10000	12000	16000	20000	24000	32000	40000
CI air valve	no.	3570	4890	5730	7710	9895	13312	14587	21840	26520	-	-		
GI Stinner	no.	346	454	603	949	1452	1948	2252	3290	5874	-	-		
End Cap	no.	79	144	179	292	402	589	920	1240	2515	3540	4230		
Drill Bit	no.	3050	3691	3850	-		-	-	-	-	-	-		
C. I. M C	no.	-	-	-	-		-	-	3146	4708	5917	8052		
Tail Piece	no.	-	-	-	-		-	-	3146	4708	5917	8052		
Die Gutkha	no.	3267	3486	5450	6006	6418	6713	-	-	-	-	-		
Round Gasket	no.		-	-	-	-	-	-	230	240	360	540		
GI tanky nipple	no.	244	388	576	852	1181	1749	3366	4481	5946				
Cross Tee	no.	232	337	530	920	1186	1749	2951	4275	5759	12641	15251		

260 CPVC Pipe and fittings

कालिगण्डकी गाउँपालिकाको आ.ब २०७९/८०को दर रेट

S.N.	Description	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
		15 mm	20 mm	25 mm	32 mm	40 mm	50 mm
1	CPVC pipe SDR - 11/mtr	226	353	517	769	1073	1808
2	Elbow 90 deg.	34	62	119	235	340	750
3	Equal Tee	40	82	149	290	430	930
4	Coupler (Socket)	19	40	68	140	225	480
5	Elbow 45 deg.	23	49	76	129	330	720
6	Union	275	529	600	850	1150	2000
7	End cap	19	40	65	88	138	253
8	ABS pipe clip	10	15	17	20	37	45
9	Female Threaded Adapter CPVC	39	66	120	253	330	590
10	Male Threaded Adapter CPVC	29	42	80	164	226	418
11	Ball valve (NSF)	1035	1288	1801	3013	3811	5589
12	Ball valve Compact	529	725	1150	1950	3410	5055
13	Step Over Bend	190	280	510			
14	Elbow with EAR CPVC	88	99				
15	Female Threaded Elbow Brass	175	281	3/4"X1/2":183	1"X1/2":286		
16	Female Threaded Adapter Brass	362	463	735	1850	2300	3750
17	Male Threaded Adapter Brass	339	520	890	2000	2570	4294
18	Female Threaded Tee Brass	206	3/4"X1/2":226	1"X1/2":311			
19	Reducing female coupling brass	3/4"X1/2":226	1"X1/2":248	-			
20	Reducing Male Threaded Adapter Brass	3/4"X1/2":372	-	-			
		3/4"X1/2":45	1"X1/2":62	1"X3/4":65	1-1/4"X1/2":145	1-1/4"X3/4":160	1-1/4"X1":165
		1-1/2"X1/2":185	1-1/2"X3/4":225	1-1/2"X1":235	1-1/2"X1-1/4":250	2"X3/4":328	2"X1":264
21	Reducing coupler	2"X1-1/4":310	2"X1-1/2":320	-			
		3/4"X1/2":90	1"X1/2":136	1"X3/4":147	1-1/4"X1/2":137	1-1/4"X3/4":154	1-1/4"X1":181
		1-1/2"X1/2":500	1-1/2"X3/4":515	1-1/2"X1":525	1-1/2"X1-1/4":350	2"X3/4":478	2"X1":506
22	Reducing Tee	2"X1-1/4":555	2"X1-1/2":559	-			
		3/4"X1/2":20	1"X1/2":44	1"X3/4":48	1-1/4"X1/2":103	1-1/4"X3/4":83	1-1/4"X1":77
		1-1/2"X1/2":132	1-1/2"X3/4":96	1-1/2"X1":96	1-1/2"X1-1/4":88	2"X1/2":264	2"X3/4":187
23	Reducing Buss	2"X1":182	2"X1-1/4":181	-	-	-	
24	Tee Holder	1/2"X1/2":16	3/4"X1/2":21	-	-	-	
25	Reducing Elbow	3/4"X1/2":65	-	-	-	-	
26	Reducing Male Threaded Adapter CPVC	3/4"X1/2":46	-	-	-	-	
27	CPVC solvent cement NSF HP	29ml.:268	50ml.:537	118ml.:798	236ml.:1316	473ml.:2273	

Rate for Electrical transmission line and transformer

S.No.	Description	Quantity	Units	Rate	Remarks
	Supply of goods				
1	Cross arm H.T. with clamp,5x50x50x100x3300mm	1	no	7 500.00	
2	Cross arm H.T. with clamp,5x50x50x100x2300mm	1	no	5,570.00	
3	Cross arm H.T. with clamp,5x50x50x100x1800mm	1	no	4,800.00	
4	Cross arm H.T. with clamp,5x50x50x100x1200mm	1	no	3,500.00	
5	Channel with clamp,5x50x50x100x300mm	1	no	1,600.00	
6	Bracing (size 0.8 mtr long flat)	1	no	650.00	
7	Pole accessories wit galvinizes (Nut Bolt With Washer, clamp,anchorage rod support etc. in different size)	1	kg	430.00	
8	Tension Clamp 50mm	4	no	2 300.00	
9	Suspension Clamp 50mm	7	no	1 950.00	
10	Pole accessories wit galvinizes (Nut Bolt With Washer, clamp,anchorage rod support etc. in different size)	20	kg	430.00	
11	11 KV D.O. set (3 Pcs)	1	set	27 000.00	
12	Lightning arrestor with clamp	1	no	9 800.00	
13	MCCB - 80 (Indian/ Korean)	1	set	15 000.00	
14	Tansformer mounting Set	1	set	25 000.00	
15	Cable lock- 50 mm²	1	no	95.00	
16	Chemical earthing System	1	no	18 000.00	
Rate for Electrical Mechnical Part					
17	**Pressure Gauge** Standard bottom entry water pressure gauge, size 100 mm , pressure reading up to 50 kg/cm^2 , connection : M10 x 1 , supplied with steel ball valve and adaptor for 15 mm (½") dia connection	1	no	12800	
18	**High & low water level guard** High & low water level guard	1	no	6500	
19	**Cast Steel Check (Non return) Valve** Class 300 cast steel swing check valve : Hydrostatic Test pressure : Body 76 Kg/cm2 , Seat 55 Kg/cm2				
19.1	65mm	1	no	62500	
19.2	50mm	1	no	52000	
19.3	40mm	1	no	42300	
19.4	32mm	1	no	25000	
20	**Cast Steel Gate Valve** Class 300 double flanged cast steel gate valve : Hydrostatic Test pressure: body 76 Kg/cm2 , seat : 55 Kg/cm2			53000	
20.1	65mm	1	no	65000	
20.2	50mm	1	no	53000	
20.3	40mm	1	no	44000	
20.4	32mm	1	no	28000	
21	**Cast Steel Check (Non return) Valve** Class 150 cast steel swing check valve				
21.1	65mm	1	no	48000	
21.2	50mm	1	no	44000	
21.3	40mm	1	no	32000	
21.4	32mm	1	no	18500	
22	**Cast Steel Gate Valve** Class 150 double flanged cast steel gate valve				
22.1	65mm	1	no	54000	
22.2	50mm	1	no	45000	
22.3	40mm	1	no	35000	
22.4	32mm	1	no	21000	

23	**Pump Housing** DN 200 mm 7 mm thick GI pump housing pipe in 3 m length with one end closed with a OD 200 mm 24 mm thick MS blank flange and another end fitted with a OD 340 mm, ID 200 mm 24 mm thick , welded MS flange having 12 nrs 22 mm dia bolt holes for M20 bolts. Pump housing pipe fabricated with a DN 80 mm inlet pipe as per instruction and drawing	1	no	55600	
24	**Pump Housing** DN 200 mm 7 mm thick GI pump housing pipe in 4 m length with one end closed with a OD 200 mm 24 mm thick MS blank flange and another end fitted with a OD 340 mm, ID 200 mm 24 mm thick , welded MS flange having 12 nrs 22 mm dia bolt holes for M20 bolts. Pump housing pipe fabricated with a DN 80 mm inlet pipe as per instruction and drawing	1	no	50000	
25	**Surface Plate** Surface discharge plate fabricated with a OD 340 mm ,24 mm thick circular MS plate having 12 nos. 22 mm dia. Bolt holes for M20 bolts and a DN 50 mm 4.5 mm thick MS seamless discharge bend at the center fitted both sides with DN 50 mm (OD 165 mm) 20 mm thick standard MS flange having 4 nos 18 mm dia holes for M 16 bolts and a DN 40 mm ventilator hole fabricated as per instruction and drawing.	1	no	13500	
26	**MS flange** 20 mm thick MS flange set confirming to IS:6392 for 2.5 N/mm^2 having 4 nos 18 mm dia bolt holes for M16 bolts including 2 nos of flange , nut , bolt , washer all complete	1	no		
26.1	DN 80mm (O.D.165 mm)	1	no	2300	
26.2	DN 65mm (O.D.165 mm)	1	no	2000	
26.3	DN 50mm (O.D.165 mm)	1	no	1800	
26.4	DN 40mm (O.D.165 mm)	1	no	1500	
26.5	DN 32mm (O.D.165 mm)	1	no	1100	
27	**Change over switch** 100 A Changeover Distribution Board with 3 no 50 A MCCB , 50 A TPN changeover switch ,30 A 2P MCB, copper bus bar in a suitable wall mounting metallic cabinet	1	no	45000	
28	**Change over switch** 200A Changeover Distribution Board with 3 no 50 A MCCB , 50 A TPN changeover switch ,30 A 2P MCB, copper bus bar in a suitable wall mounting metallic cabinet	1	no	85000	
29	**Electric cable connection box** Rainwater proof out door self standing metallic connector box with 100 A 30 nos connector.	1	no	13400	
30	**FlangeRubber Gasket** Heavy class rubber gasket sheet	1	Sqm	4200	
31	**DB Board** 2 way DB board with copper brush bar 63 A, 100 A MCCB.	1	no	75000	
32	MS Elbow 90' - 2" seamless	1	no	4500	
33	MS Elbow 90' - 1.5" seamless	1	no	3500	
	Labour Cost				
34	**Installation** Installation of Motor, Gate volve, non Retaning volve etc. above materials as per instruction / drawings including all cutting, welding etc.all complete				
34.1	0.5 HP-2HP			20000	
34.2	3 HP-5HP			25000	
34.3	6 HP-7.5HP			36000	
34.4	10 HP-15HP			43000	
34.5	17HP-25HP			55000	
34.6	30HP-41HP			70000	

कालिगण्डकी गाउँपालिका आ.ब २०७९/८०को गाउँपालिका दर रेट

RATE OF UPVC PIPES AND FITTINGS
FY: 2079/080

NS 206/046

S.N.	DESCRIPTION	50 mm	75 mm	110 mm	Remarks
Fittings					
1	Socket	44.781	100.265	168.41	
2	Bend 87.5°	61.325	143.099	264.781	
3	Bend 45°	61.325	116.809	209.297	
4	Bend 87.5° with Door		183.986	320.265	
5	Single Tee	89.562	197.615	369.908	
6	Single Tee with Door		231.682	429.297	
7	Double Tee		437.085	727.166	
8	Double Tee with Door		582.12	932.569	
9	Pipe Clip	23.364	32.12	43.8031	
10	Vent Cowl		67.166	116.809	
11	Socket Plug		95.403	144.067	
12	Single Y		249.205	452.65	
13	Single Y with door		293.986	546.106	
14	Double Y		307.615	592.834	
15	Double Y with Door		444.862	685.311	
16	Cleaning Pipe		196.636	372.834	
17	Reducer Socket 110X75			179.113	
18	Reducer Socket 75X50		92.477		
19	P Trap 125X110			710.622	
20	P Trap 110X110			676.544	
21	Multi Flooe Trap 110X75			370.887	
22	Nahani Trap 110X75			337.788	
23	W.C. Connector (Bent)			345.576	
24	Round Jali			53.537	
25	End Cap	40.887			
26	Square Tile Jali			111.95	

कालिगण्डकी गाउँपालिका आ.ब २०७९/८०को गाउँपालिका दर रेट

uPVC Pipes Manufactured as per NS 206/046						
S.N.	Outer Diameter	size in inch	Pressure 2.5 Kgf/cm2	Pressure 4 Kgf/cm2	Pressure 6 Kgf/cm2	Pressure 10 Kgf/cm2
1	20mm	1/2"				36.28
2	25mm	3/4"				56.64
3	32mm	1"				92.92
4	40mm	1 1/4"			93.81	140.71
5	50mm	1 1/2"			141.59	221.24
6	63mm	2"		159.29	226.55	351.33
7	75mm	2-1/2"		220.35	316.81	501.77
8	90 mm	3"	200.88	313.27	456.64	715.04
9	110mm	4"	298.23	430.09	660.18	1060.18
10	125mm	4-1/2"	379.65	592.92	879.65	1357.52
11	140 mm	5"	469.03	753.10	1094.69	1712.39
12	160mm	6"	613.27	975.22	1402.65	2203.54
13	180 mm	7"	784.96	1253.10	1788.50	2808.85
14	200 mm	8"	958.41	1519.47	2191.15	3473.45

SWR uPVC Pipes Manufactured as per IS 13592					
S.N.	Outer Diameter	size in inch	Description	Type A Prime/mtr	Type B Prime/mtr
1	50 mm	1-1/2"	Plain Socket (3 mtr long)	110.62	238.94
2	75 mm	2-1/2"	Plain Socket (6 mtr long)	176.11	365.49
3	90	3"	Plain Socket (3 mtr long)	309.73	415.04
4	110	4"	Plain Socket (6 mtr long)	389.38	542.48
	75	2-1/2"	Single Socket with ring (3 mtr	191.15	381.42
	75	2-1/2"	Double Socket with ring (3 mtr	209.73	399.12
	110	4"	Single Socket with ring (3 mtr	407.08	561.06
	110	4"	Double Socket with ring (3 mtr	428.32	582.30
	160	6"	Single Socket with ring (3 mtr	766.37	1005.31
	160	6"	Double Socket with ring (3 mtr	900.88	1040.71

कालिगण्डकी गाउँपालिकाको आ.ब २०७९/८० को दर रेट

261 .Rate of Water Supply Tools

S. No	Particulars	Unit	Rate (NRs)	S. No	Particulars	Unit	Rate (NRs)
1	Heating Plate 3"	No	950	40	Hexaw Frame	No	265
2	Heating Plate 4"	No	1340	41	Hexaw Blade	No	25
3	Heating Plate 5"	No	1935	42	Oil Can	No	595
4	Heating Plate 6"	No	2350	43	Rubber Gasket	Meter	3505
5	Heating Plate 8"	No	3650	44	Taflon Tape	No	30
6	Heating Plate 10"	No	6783	45	Blow Lamp	No	1695
7	Heating Plate 12"	No	7272	46	Slade Hammer 10 lbs	No	1400
8	Pipe Wrench 10"	No	962	47	Stone chisel 1*6	No	390
9	Pipe Wrench 12"	No	990	48	Stone chisel 1*12	No	495
10	Pipe Wrench 14"	No	1452	49	Spirit level 18"	No	424
11	Pipe Wrench 18"	No	1973	50	Mason Sqire 12 "	No	395
12	Pipe Wrench 24"	No	2982	51	Mason Sqire 18 "	No	490
13	Pipe Wrench 36"	No	5600	52	Steel Brush	No	40
14	Pipe Wrench 48"	No	6200	53	Steel Pan	No	390
15	Chain Wrench 3 No	No	2819	54	Measuring Tape 3 M	No	85
16	Chain Wrench 4 No	No	3377	55	Measuring Tape 5 M	No	150
17	Chain Wrench 6 No	No	3892	56	Measuring Tape 30 M	No	1500
18	Retch Threader 1/2 To 1"	Set	7972	57	Measuring Tape 50 M	No	2250
19	Retch Threader 1-1/4 To 2'	Set	9877	58	Measuring Tape 100 M	No	2950
20	Retch Threader 2-1/2 To 3'	Set	12920	59	Stone cutting Hammer	No	375
21	Retch Threader 4 "	Set	12994	60	Half Round File 10"	No	640
22	Adjustable wrench 10 "	No	650	61	Smooth File 12 "	No	730
23	Adjustable wrench 12 "	No	785	62	Nail hammer	No	415
24	Adjustable wrench 15 "	No	1450	63	Dye teeth 1/2	Set	1334
25	Adjustable wrench 18 "	No	2250	64	Dye teeth 3/4	Set	1551
26	Pipe voice 2 No	No	2750	65	Dye teeth 1"	Set	1743
27	Pipe voice 3 No	No	3550	66	Dye teeth 1-1/4 "	Set	1930
28	Pipe voice 4 No	No	5050	67	Dye teeth 1-1/2"	Set	2127
29	Pipe cutter 1 No	No	1580	68	Dye teeth 2 "	Set	2257
30	Pipe cutter 2 No	No	2504	69	Dye teeth 2-1/2 "	Set	2722
31	Pipe cutter 3 No	No	3726	70	Dye teeth 3 "	Set	3210
32	Pipe cutter 4 No	No	5260	71	Dye teeth 4"	Set	3847
33	Tool Box with Key	No	1910	72	Shovel	Set	300
34	Teflon Cloth	Meter	3772	73	Pick	Set	250
35	Thermocrome Chalk (Germ	No	2063	74	Crowbar	Set	450
36	Thermocrome Chalk (India	No	945	75	4" C.I. Pipe with flange	rm	5913
37	Pick Axe	pc	500	76	Nut bolts for C.I. Pipe	Kg	180
38	Shovel	pc	450	77	Rotary piston ISO 4064 CI Body wat	Pc	1750
39	Crow Bar 1"-5 ft	pc	800	78	Rotary piston ISO 4064 Brass Body	Pc	1975

Note: VAT are not included in the above rate

२६२ कालिगण्डकी गाउँपालिकाको विभिन्न ठाउको घरभाडा दर रेट							
कालिगण्डकी गाउँपालिकाको विभिन्न स्थानहरूको आ.व. २०७९।८० कोलागी निम्नानुसार घरभाडा निर्धारण गर्ने निर्णय गरियो ।							
क्र.सं.	स्थान	घरको विवरण	प्रयोजन	दर रेट / बर्ग फिट			कैफियत
				आ.व. ०७६/७७ को दर रेट	आ.व. ०७७/७८ को दर रेट	आ. व ०७९/८०को दर रेट	
१	वजार क्षेत्रका मुख्य सडक	आर सि.सि.ढलान पक्की घर	व्यपारिक	३५ - ४०	३८- ४३	३८ - ४३	
			आवासिय	२० - २५	२२ - २५	२२ - २५	
		कच्चि घर	व्यपारिक	२० - २२	२० - २२	२० - २२	
			आवासिय	१५ - २०	१५- २०	१५-२०	
२	वजार क्षेत्रका सहायक सडक आसपास	आर सि.सि.ढलान पक्की घर	व्यपारिक	१५- २०	१५- २०	१५-२०	
			आवासिय	१५	१५	१५	
		कच्चि घर	व्यपारिक	१२	१२	१२	
			आवासिय	१०	१०	१०	
नोट : पार्किङ्ग स्थल एवं भौतिक सुविधा सम्पन्न स्थानमा रहेका घरहरूको हकमा माथि उल्लेखित दररेटमा २० प्रतिशत थप गर्न सकिने छ ।							

नोट :	
१.	माथि उल्लेखित दररेटमा नपरेका निर्माण सामाग्री मध्ये वाटर सप्लाई स्यानिटेशन, विद्युतीकरण तथा अन्य विभिन्न महलमा छुट भएका सामानहरूको दररेट सम्वन्धमा नेपाल सरकार बाट निर्धारित दररेट वा उत्पादक/अधिकृत विक्रेताहरू मध्येको आधिकारिक न्यूनतम दररेटलाई आधार मानी दररेट कायम गर्ने
२.	जि.आई.पाइप तथा फिटिङ्गस वेल्डीङ्ग गर्दा नर्मस अनुसार प्रति ज्वाइन्ट निकाली कार्य गर्ने ।
३.	नवीकरणीय उर्जा सम्बन्धी (बायोग्यास, सोलार, लघु जलविधुत, बायु उर्जा, सुधारिएको चूलो आदी) निर्माण कार्यका लागी वैकल्पिक उर्जा प्रवर्धन केन्द्र वा सो कार्यसंग सम्बन्धित उत्पादक/अधिकृत विक्रेता कंपनिको दररेट लाई नै दररेट कायम गरी कार्य गर्ने ।
४.	विशेष क्षेत्रको निर्माण कार्यको प्रयोग हुने सामाग्री **Admixture** को हकमा उत्पादक/अधिकृत विक्रेताबाट प्राप्त हुने तत्कालीन बजार मूल्यको आधारमा दररेट कायम गरी कार्य गर्ने।
५.	माथी उल्लेखित दररेटमा नपरेका निमार्ण सामाग्रीहरूको हकमा छिमेकी जिल्लाहरूको दररेटलाई आधार बनाई दररेट कायम गर्ने र सोही अनुसार दररेट तयार गरी कार्य गर्ने र सो समेत हुन नसकेमा उत्पादक अधिकृत विक्रेता तथा बजार बाट दरभाउ लिई सरदर दर रेट कायम गरी गरी कार्यान्वयन गर्ने ।
६.	माथी उल्लेखित दररेट हरू मध्ये पी.पी.आर. पाइप र फिटिगंस् को दर रेट बाहेक अन्य सबै आइटमको दर रेटमा मल्य अभिवद्धि कर (VAT) समावेश गर्नपर्नेछ ।
७	माथि उललेखित दररेट स्यात्रजा जिल्लाबाट पास हुने सिद्दार्थ लोकमार्गको १ कि.मि. दायां बायांको लागी हो । सो भन्दा टाढाका स्थानहरूमा दररेट निर्धारण गर्दा लोकमार्गको १ कि.मि. टाढाबाट ढुवानी जोडी हुन आउने दरलाई कायम गर्ने ।

District Rate List FY 2079-80

District Rate List FY 2079-80	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	22.26	12,569.17
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	23.66	13,357.71
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	19.25	13,831.48
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	20.18	14,503.05
S.No	**Description of Items**	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	144.18	1,945.75
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	165.78	2,237.25
S.No	**Description of Items**	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	113.67	1,534.01
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	129.87	1,752.63
S.No	**Description of Items**	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	96.44	1,301.54
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	108.32	1,461.86
S.No	**Description of Items**	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	35.49	1,053.94
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	41.81	1,241.78
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	44.11	1,310.08
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42.15	1,251.68
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	48.19	1,430.98
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	50.49	1,499.28
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension. 226*200*70 (NS Standard)	50.00	1,484.94
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	56.79	1,686.44
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	59.20	1,758.16
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	59.46	1,765.67
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	65.78	1,953.51
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	68.08	2,021.81

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	36.56	1,829.12
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	43.79	2,190.87
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	51.03	2,553.06
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	75.78	3,791.35
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	83.00	4,152.72
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	85.89	4,297.27

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	34.85	1,282.69
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	45.19	1,663.33
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	54.20	1,995.08
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	53.82	1,981.22
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	65.73	2,419.36
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	77.89	2,867.27

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	42.50	1,472.66
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	52.42	1,816.37
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	59.50	2,061.66
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	52.83	2,086.72
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension.225*112.5*80 (NS Standard)	64.76	2,557.97
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	76.80	3,033.47
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	95.88	3,787.22
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	103.10	4,072.51
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	105.99	4,186.62

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	53.75	1,586.48
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	63.75	1,881.63
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	70.84	2,090.84

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
18	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness. 60mm, Dimension:200*200*60 (NS Standard)	69.03	1,725.31
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.56	2,113.53
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	99.99	2,499.36

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	16.98	1,697.58
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	20.51	2,050.75
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.11	2,411.06

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60 (NS Standard)	65.80	1,754.35
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension 200*200*60 (NS Standard)	77.00	2,053.07
	Interlock Pavers Blended Color with compressive strength M3 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	84.00	2,239.72
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	71.40	1,784.63
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	81.20	2,029.72
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	88.20	2,204.69
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	220.99	1,381.54
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	242.34	1,514.98
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	269.77	1,686.48
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
23	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,248.12	1,302.69
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,361.94	1,421.48
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,541.78	1,609.18
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2,879.50	2,768.15
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,092.00	2,972.43
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,223.25	3,098.61
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
25	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	452.00	1,882.18
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per RM (Ex VAT)**
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension 300*200*350 (LxBxH)	359.53	1,197.24
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension 300*200*350 (LxBxH) (NS Standard)	375.73	1,251.19
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension 300*200*350 (LxBxH) (NS Standard)	408.13	1,359.08
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension 300*165*325 (LxBxH) (NS Standard)	287.17	956.28
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension 300*165*325 (LxBxH) (NS Standard)	308.77	1,028.21
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension 300*165*325 (LxBxH) (NS Standard)	335.77	1,118.12
S.No	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per RM (Ex VAT)**
28	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	351.22	1,404.86
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	367.42	1,469.66
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	399.82	1,599.26

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	405.00	1,348.65
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	432.00	1,438.56
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	453.60	1,510.49
S.No	**Description of Items**	**MRP Per Set (Ex VAT)**	**MRP Per RM (Ex VAT)**
30	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	505.20	1,682.30